

**Arkansas Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

2. Percentage of schools that require health education for students in any of grades 6 through 12.

	N	Percent	95% Confidence Interval
Senior High School	72	100	100 - 100
Middle School	98	92	88 - 96
Junior/Senior High School Combined	78	100	100 - 100
Overall	248	97	96 - 99

**Arkansas Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

3. Percentage of schools that require health education be taught in each of the following ways to students.*

	N	Percent	95% Confidence Interval
a. In a combined health education and physical education course			
Senior High School	66	45	36 - 54
Middle School	87	66	59 - 74
Junior/Senior High School Combined	73	67	59 - 74
Overall	226	60	56 - 65
b. In a course mainly about another subject other than health education such as science, social studies, or English			
Senior High School	50	16	9 - 23
Middle School	69	29	22 - 35
Junior/Senior High School Combined	66	19	13 - 25
Overall	185	22	18 - 25

*Among those schools that require health education for students in any of grades 6 through 12.
N=Unweighted number of observations

**Arkansas Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

4. Percentage of schools that require students to take the following number of required health education courses.*

	N	Percent	95% Confidence Interval
a. 0 courses			
Senior High School	68	0	0 - 0
Middle School	86	4	1 - 7
Junior/Senior High School Combined	72	0	0 - 0
Overall	226	2	1 - 3
b. 1 course			
Senior High School	68	82	76 - 88
Middle School	86	47	39 - 55
Junior/Senior High School Combined	72	35	27 - 43
Overall	226	54	49 - 58
c. 2 courses			
Senior High School	68	12	6 - 17
Middle School	86	32	25 - 40
Junior/Senior High School Combined	72	47	39 - 55
Overall	226	31	27 - 35
d. 3 courses			
Senior High School	68	5	1 - 9
Middle School	86	12	8 - 16
Junior/Senior High School Combined	72	15	10 - 21
Overall	226	11	8 - 14
e. 4 or more courses			
Senior High School	68	1	0 - 3
Middle School	86	4	1 - 7
Junior/Senior High School Combined	72	3	0 - 6
Overall	226	3	1 - 4

*Among those schools that require health education for students in any of grades 6 through 12.
N=Unweighted number of observations

**Arkansas Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

4N. Percentage of schools that require students to take two or more health education courses.* **

	N	Percent	95% Confidence Interval
Senior High School	68	18	12 - 24
Middle School	86	49	40 - 57
Junior/Senior High School Combined	72	65	57 - 73
Overall	226	45	40 - 49

*Among those schools that require health education for students in any of grades 6 through 12.

**Response to question 4 is c, d, or e.

N=Unweighted number of observations

**Arkansas Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

5. Percentage of schools that taught a required health education course in each of the following grades.*

	N	Percent	95% Confidence Interval
a. Sixth grade			
Senior High School	NA	NA	NA
Middle School	43	60	51 - 70
Junior/Senior High School Combined	10	50	27 - 74
Overall	53	58	49 - 67
b. Seventh grade			
Senior High School	NA	NA	NA
Middle School	71	76	69 - 83
Junior/Senior High School Combined	69	69	62 - 76
Overall	141	73	68 - 78
c. Eighth grade			
Senior High School	NA	NA	NA
Middle School	63	42	34 - 51
Junior/Senior High School Combined	66	40	31 - 49
Overall	129	41	35 - 47
d. Ninth grade			
Senior High School	51	93	88 - 98
Middle School	26	85	75 - 94
Junior/Senior High School Combined	69	89	83 - 94
Overall	146	90	86 - 93
e. Tenth grade			
Senior High School	62	78	71 - 85
Middle School	NA	NA	NA
Junior/Senior High School Combined	63	50	42 - 59
Overall	126	63	58 - 69
f. Eleventh grade			
Senior High School	62	68	60 - 76
Middle School	NA	NA	NA
Junior/Senior High School Combined	61	38	30 - 45
Overall	124	53	47 - 58
g. Twelfth grade			
Senior High School	62	68	60 - 76
Middle School	NA	NA	NA
Junior/Senior High School Combined	60	40	33 - 47
Overall	123	54	48 - 59

*Among those schools that require health education for students and students take one or more required health education courses in any of grades 6 through 12.

N=Unweighted number of observations

**Arkansas Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

6. Percentage of schools that require students who fail a required health education course to repeat it.*

	N	Percent	95% Confidence Interval
Senior High School	68	100	100 - 100
Middle School	82	30	22 - 37
Junior/Senior High School Combined	71	99	97 - 100
Overall	221	74	71 - 77

*Among those schools that require health education for students and students take one or more required health education courses in any of grades 6 through 12.

N=Unweighted number of observations

**Arkansas Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

7. Percentage of schools that have the following person coordinate health education.

	N	Percent	95% Confidence Interval
a. No one coordinates health education			
Senior High School	69	3	0 - 5
Middle School	100	5	2 - 8
Junior/Senior High School Combined	71	1	0 - 3
Overall	240	3	2 - 5
b. District administrator			
Senior High School	69	11	6 - 15
Middle School	100	7	3 - 10
Junior/Senior High School Combined	71	11	6 - 16
Overall	240	9	7 - 12
c. District health education or curriculum coordinator			
Senior High School	69	10	5 - 15
Middle School	100	8	4 - 12
Junior/Senior High School Combined	71	3	0 - 6
Overall	240	7	5 - 9
d. School administrator			
Senior High School	69	18	12 - 25
Middle School	100	23	17 - 28
Junior/Senior High School Combined	71	40	32 - 48
Overall	240	26	23 - 30
e. Health education teacher			
Senior High School	69	57	49 - 64
Middle School	100	56	49 - 63
Junior/Senior High School Combined	71	42	33 - 51
Overall	240	52	47 - 56
f. School nurse			
Senior High School	69	0	0 - 0
Middle School	100	1	0 - 3
Junior/Senior High School Combined	71	1	0 - 3
Overall	240	1	0 - 2
g. Someone else			
Senior High School	69	2	0 - 5
Middle School	100	1	0 - 2
Junior/Senior High School Combined	71	1	0 - 3
Overall	240	1	0 - 2

**Arkansas Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

7N. Percentage of schools that have a district administrator or district health education or curriculum coordinator coordinate health education.*

	N	Percent	95% Confidence Interval
Senior High School	67	21	15 - 27
Middle School	95	16	11 - 21
Junior/Senior High School Combined	70	14	9 - 19
Overall	232	17	14 - 20

*Response to question 7 is b or c.
N=Unweighted number of observations

**Arkansas Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

8. Percentage of schools that require newly hired staff who teach health topics to be certified, licensed, or endorsed by the state in health education.

	N	Percent	95% Confidence Interval
a. Yes			
Senior High School	73	99	97 - 100
Middle School	99	88	84 - 92
Junior/Senior High School Combined	75	96	93 - 99
Overall	247	94	92 - 96
b. No			
Senior High School	73	1	0 - 3
Middle School	99	9	5 - 13
Junior/Senior High School Combined	75	4	1 - 7
Overall	247	5	3 - 7
c. Not applicable			
Senior High School	73	0	0 - 0
Middle School	99	3	1 - 4
Junior/Senior High School Combined	75	0	0 - 0
Overall	247	1	1 - 2

**Arkansas Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

9. Percentage of schools that have one or more than one group (e.g., a school health council, committee, or team) that offers guidance on the development of policies or coordinates activities on health topics.

	N	Percent	95% Confidence Interval
Senior High School	72	70	62 - 77
Middle School	99	67	60 - 73
Junior/Senior High School Combined	75	71	63 - 79
Overall	246	69	65 - 73

**Arkansas Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

10. Percentage of schools that require physical education for students in any of grades 6 through 12.

	N	Percent	95% Confidence Interval
Senior High School	73	99	97 - 100
Middle School	100	99	97 - 100
Junior/Senior High School Combined	77	100	100 - 100
Overall	250	99	98 - 100

**Arkansas Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

11. Percentage of schools that require students to take the following number of required physical education courses.*

	N	Percent	95% Confidence Interval
a. 0 courses			
Senior High School	70	0	0 - 0
Middle School	95	1	0 - 2
Junior/Senior High School Combined	73	0	0 - 0
Overall	238	0	0 - 1
b. 1 course			
Senior High School	70	76	69 - 83
Middle School	95	23	18 - 28
Junior/Senior High School Combined	73	17	11 - 24
Overall	238	37	34 - 41
c. 2-3 courses			
Senior High School	70	21	15 - 28
Middle School	95	58	52 - 65
Junior/Senior High School Combined	73	65	57 - 72
Overall	238	49	45 - 53
d. 4-5 courses			
Senior High School	70	2	0 - 5
Middle School	95	14	9 - 19
Junior/Senior High School Combined	73	18	11 - 25
Overall	238	12	9 - 15
e. 6-7 courses			
Senior High School	70	0	0 - 0
Middle School	95	3	1 - 6
Junior/Senior High School Combined	73	0	0 - 0
Overall	238	1	0 - 2
f. 8 or more courses			
Senior High School	70	0	0 - 0
Middle School	95	0	0 - 0
Junior/Senior High School Combined	73	0	0 - 0
Overall	238	0	0 - 0

*Among those schools that require physical education for students in any of grades 6 through 12.
N=Unweighted number of observations

**Arkansas Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

11N. Percentage of schools that require students to take two or more physical education courses.* **

	N	Percent	95% Confidence Interval
Senior High School	70	24	17 - 31
Middle School	95	76	70 - 81
Junior/Senior High School Combined	73	83	76 - 89
Overall	238	62	59 - 66

*Among those schools that require physical education for students in any of grades 6 through 12.

**Response to question 11 is c, d, e, or f.

N=Unweighted number of observations

**Arkansas Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

12. Percentage of schools that taught a required physical education course in each of the following grades.*

	N	Percent	95% Confidence Interval
a. Sixth grade			
Senior High School	NA	NA	NA
Middle School	53	98	95 - 100
Junior/Senior High School Combined	11	90	76 - 100
Overall	66	95	91 - 99
b. Seventh grade			
Senior High School	NA	NA	NA
Middle School	77	94	90 - 97
Junior/Senior High School Combined	67	90	84 - 95
Overall	147	91	88 - 94
c. Eighth grade			
Senior High School	NA	NA	NA
Middle School	70	85	79 - 90
Junior/Senior High School Combined	68	84	78 - 90
Overall	139	84	79 - 88
d. Ninth grade			
Senior High School	54	95	90 - 99
Middle School	32	83	74 - 91
Junior/Senior High School Combined	70	97	95 - 100
Overall	156	93	91 - 96
e. Tenth grade			
Senior High School	67	75	68 - 81
Middle School	NA	NA	NA
Junior/Senior High School Combined	63	54	45 - 62
Overall	132	65	60 - 70
f. Eleventh grade			
Senior High School	66	71	64 - 79
Middle School	NA	NA	NA
Junior/Senior High School Combined	62	50	41 - 59
Overall	129	61	55 - 67
g. Twelfth grade			
Senior High School	66	71	64 - 79
Middle School	NA	NA	NA
Junior/Senior High School Combined	61	49	40 - 58
Overall	128	61	55 - 67

*Among those schools that require physical education for students and students take one or more required physical education courses in any of grades 6 through 12.

N=Unweighted number of observations

**Arkansas Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

13. Percentage of schools in which students can be exempted from taking a required physical education course for one grading period or longer for any of the following reasons.*

	N	Percent	95% Confidence Interval
a. Enrollment in other courses			
Senior High School	68	20	13 - 27
Middle School	90	5	2 - 9
Junior/Senior High School Combined	72	27	21 - 32
Overall	230	16	13 - 20
b. Participation in school sports			
Senior High School	68	45	37 - 52
Middle School	94	49	42 - 56
Junior/Senior High School Combined	72	39	32 - 45
Overall	234	44	40 - 48
c. Participation in other school activities			
Senior High School	67	21	14 - 29
Middle School	91	18	12 - 23
Junior/Senior High School Combined	71	8	4 - 12
Overall	229	16	12 - 19
d. Participation in community sports			
Senior High School	67	4	1 - 7
Middle School	91	2	0 - 4
Junior/Senior High School Combined	71	3	0 - 5
Overall	229	3	1 - 4
e. Religious reasons			
Senior High School	66	38	31 - 45
Middle School	88	32	25 - 39
Junior/Senior High School Combined	71	29	21 - 37
Overall	225	33	29 - 37
f. Long-term physical or medical disability			
Senior High School	68	77	69 - 84
Middle School	93	77	70 - 83
Junior/Senior High School Combined	72	72	64 - 80
Overall	233	75	71 - 79
g. Cognitive disability			
Senior High School	67	38	29 - 47
Middle School	91	27	22 - 33
Junior/Senior High School Combined	71	21	14 - 28
Overall	229	29	24 - 33

*Among those schools that require physical education for students and students take one or more required physical education courses in any of grades 6 through 12.

N=Unweighted number of observations

**Arkansas Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

13. Percentage of schools in which students can be exempted from taking a required physical education course for one grading period or longer for any of the following reasons.*

	N	Percent	95% Confidence Interval
h. High physical fitness competency test score			
Senior High School	67	7	3 - 11
Middle School	90	0	0 - 0
Junior/Senior High School Combined	71	1	0 - 3
Overall	228	2	1 - 4
i. Participation in vocational training			
Senior High School	67	6	2 - 10
Middle School	91	2	0 - 4
Junior/Senior High School Combined	71	6	2 - 10
Overall	229	4	3 - 6
j. Participation in community service activities			
Senior High School	67	4	1 - 7
Middle School	91	0	0 - 0
Junior/Senior High School Combined	71	3	0 - 5
Overall	229	2	1 - 3

*Among those schools that require physical education for students and students take one or more required physical education courses in any of grades 6 through 12.
N=Unweighted number of observations

**Arkansas Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

13N. Percentage of schools in which students cannot be exempted from taking a required physical education course for one grading period or longer for an unacceptable reason.*

	N	Percent	95% Confidence Interval
Senior High School	67	47	39 - 56
Middle School	90	46	39 - 53
Junior/Senior High School Combined	71	51	45 - 57
Overall	228	48	44 - 52

*Responses to questions 13 a, b, c, d, h, i, and j all are "no."
N=Unweighted number of observations

**Arkansas Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

14. Percentage of schools that require students who fail a required physical education course to repeat it.*

	N	Percent	95% Confidence Interval
Senior High School	70	100	100 - 100
Middle School	94	33	26 - 39
Junior/Senior High School Combined	72	99	97 - 100
Overall	236	73	70 - 76

*Among those schools that require physical education for students and students take one or more required physical education courses in any of grades 6 through 12.
N=Unweighted number of observations

**Arkansas Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

15. Percentage of schools that require newly hired staff who teach physical education to be certified, licensed, or endorsed by the state in physical education.

	N	Percent	95% Confidence Interval
a. Yes			
Senior High School	74	100	100 - 100
Middle School	101	97	95 - 99
Junior/Senior High School Combined	77	96	94 - 99
Overall	252	98	96 - 99
b. No			
Senior High School	74	0	0 - 0
Middle School	101	3	1 - 5
Junior/Senior High School Combined	77	4	1 - 6
Overall	252	2	1 - 4
c. Not Applicable			
Senior High School	74	0	0 - 0
Middle School	101	0	0 - 0
Junior/Senior High School Combined	77	0	0 - 0
Overall	252	0	0 - 0

**Arkansas Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

16. Percentage of schools that offer students opportunities to participate in intramural activities or physical activity clubs.

	N	Percent	95% Confidence Interval
Senior High School	74	34	27 - 42
Middle School	101	49	42 - 55
Junior/Senior High School Combined	77	27	20 - 34
Overall	252	38	34 - 42

**Arkansas Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

17. Percentage of schools that provide transportation home for students who participate in after-school intramural activities or physical activity clubs.*

	N	Percent	95% Confidence Interval
Senior High School	25	21	9 - 34
Middle School	49	11	4 - 17
Junior/Senior High School Combined	21	5	0 - 11
Overall	95	12	7 - 17

*Among those schools that offer students opportunities to participate in intramural activities or physical activity clubs.
N=Unweighted number of observations

**Arkansas Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

18. Percentage of schools in which, outside of school hours or when school is not in session, children or adolescents use the school's physical activity or athletic facilities for community-sponsored sports teams, classes, or lessons.

	N	Percent	95% Confidence Interval
Senior High School	71	87	82 - 92
Middle School	99	82	77 - 87
Junior/Senior High School Combined	75	80	74 - 87
Overall	245	83	80 - 86

**Arkansas Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

19. Percentage of schools that support or promote walking or biking to and from school (e.g., through promotional activities, designating safe routes or preferred routes, or having storage facilities for bicycles and helmets).

	N	Percent	95% Confidence Interval
Senior High School	72	33	25 - 41
Middle School	99	48	40 - 55
Junior/Senior High School Combined	75	30	22 - 37
Overall	246	38	33 - 42

**Arkansas Department of Education
 2006 School Health Profiles Report
 Weighted Principal Survey Results**

20. Percentage of schools that have adopted a policy prohibiting tobacco use.

	N	Percent	95% Confidence Interval
Senior High School	73	100	100 - 100
Middle School	101	99	98 - 100
Junior/Senior High School Combined	78	100	100 - 100
Overall	252	100	99 - 100

N=Unweighted number of observations

**Arkansas Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

21 (Students). Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for students during any school-related activity.*

	N	Percent	95% Confidence Interval
a. Cigarettes			
Senior High School	73	100	100 - 100
Middle School	98	99	98 - 100
Junior/Senior High School Combined	76	98	96 - 100
Overall	247	99	98 - 100
b. Smokeless tobacco			
Senior High School	73	100	100 - 100
Middle School	97	100	100 - 100
Junior/Senior High School Combined	76	98	96 - 100
Overall	246	99	99 - 100
c. Cigars			
Senior High School	73	99	97 - 100
Middle School	98	96	93 - 99
Junior/Senior High School Combined	76	96	94 - 99
Overall	247	97	95 - 98
d. Pipes			
Senior High School	73	95	92 - 99
Middle School	98	96	93 - 99
Junior/Senior High School Combined	75	96	94 - 99
Overall	246	96	94 - 98

*Among those schools that have adopted a policy prohibiting tobacco use.
N=Unweighted number of observations

**Arkansas Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

21 (Faculty/Staff). Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for faculty/staff during any school-related activity.*

	N	Percent	95% Confidence Interval
a. Cigarettes			
Senior High School	73	97	94 - 100
Middle School	98	98	98 - 98
Junior/Senior High School Combined	76	95	92 - 98
Overall	247	97	95 - 98
b. Smokeless tobacco			
Senior High School	73	97	94 - 100
Middle School	97	98	96 - 100
Junior/Senior High School Combined	76	95	92 - 98
Overall	246	97	95 - 98
c. Cigars			
Senior High School	73	95	92 - 99
Middle School	98	95	93 - 97
Junior/Senior High School Combined	76	94	90 - 98
Overall	247	95	93 - 97
d. Pipes			
Senior High School	73	94	90 - 98
Middle School	98	95	93 - 97
Junior/Senior High School Combined	75	94	90 - 98
Overall	246	94	92 - 96

*Among those schools that have adopted a policy prohibiting tobacco use.
N=Unweighted number of observations

**Arkansas Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

21 (Visitors). Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for visitors during any school-related activity.*

	N	Percent	95% Confidence Interval
a. Cigarettes			
Senior High School	73	97	94 - 100
Middle School	98	98	98 - 98
Junior/Senior High School Combined	76	93	88 - 97
Overall	247	96	94 - 98
b. Smokeless tobacco			
Senior High School	73	97	94 - 100
Middle School	97	98	96 - 100
Junior/Senior High School Combined	76	93	88 - 97
Overall	246	96	94 - 98
c. Cigars			
Senior High School	72	95	92 - 99
Middle School	98	95	93 - 97
Junior/Senior High School Combined	76	91	87 - 96
Overall	246	94	92 - 96
d. Pipes			
Senior High School	73	94	90 - 98
Middle School	98	95	93 - 97
Junior/Senior High School Combined	75	91	87 - 96
Overall	246	94	91 - 96

*Among those schools that have adopted a policy prohibiting tobacco use.
N=Unweighted number of observations

**Arkansas Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

22 (Students). Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for students.*

	N	Percent	95% Confidence Interval
a. During school hours			
Senior High School	73	100	100 - 100
Middle School	98	99	98 - 100
Junior/Senior High School Combined	76	96	94 - 99
Overall	247	99	98 - 100
b. During non-school hours			
Senior High School	73	90	85 - 95
Middle School	97	87	82 - 92
Junior/Senior High School Combined	75	87	82 - 93
Overall	245	88	85 - 91

*Among those schools that have adopted a policy prohibiting tobacco use.
N=Unweighted number of observations

**Arkansas Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

22 (Faculty/Staff). Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for faculty/staff.*

	N	Percent	95% Confidence Interval
a. During school hours			
Senior High School	73	98	96 - 100
Middle School	98	99	98 - 100
Junior/Senior High School Combined	76	93	89 - 97
Overall	247	97	95 - 98
b. During non-school hours			
Senior High School	73	88	83 - 94
Middle School	97	83	77 - 89
Junior/Senior High School Combined	74	82	75 - 88
Overall	244	84	81 - 87

*Among those schools that have adopted a policy prohibiting tobacco use.
N=Unweighted number of observations

**Arkansas Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

22 (Visitors). Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for visitors.*

	N	Percent	95% Confidence Interval
a. During school hours			
Senior High School	73	98	96 - 100
Middle School	98	98	97 - 100
Junior/Senior High School Combined	75	90	85 - 95
Overall	246	96	94 - 97
b. During non-school hours			
Senior High School	73	87	81 - 93
Middle School	97	83	77 - 89
Junior/Senior High School Combined	75	78	72 - 84
Overall	245	83	79 - 86

*Among those schools that have adopted a policy prohibiting tobacco use.
N=Unweighted number of observations

**Arkansas Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

23 (Students). Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for students.*

	N	Percent	95% Confidence Interval
a. In school buildings			
Senior High School	73	98	96 - 100
Middle School	98	100	100 - 100
Junior/Senior High School Combined	76	98	96 - 100
Overall	247	99	98 - 100
b. Outside on school grounds, including parking lots and playing fields			
Senior High School	73	98	96 - 100
Middle School	98	100	100 - 100
Junior/Senior High School Combined	76	98	96 - 100
Overall	247	99	98 - 100
c. On school buses or other vehicles used to transport students			
Senior High School	73	100	100 - 100
Middle School	98	100	100 - 100
Junior/Senior High School Combined	76	98	96 - 100
Overall	247	99	99 - 100
d. At off-campus, school-sponsored events			
Senior High School	73	97	94 - 100
Middle School	97	95	92 - 98
Junior/Senior High School Combined	76	95	92 - 98
Overall	246	96	94 - 97

*Among those schools that have adopted a policy prohibiting tobacco use.
N=Unweighted number of observations

**Arkansas Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

23 (Faculty/Staff). Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for faculty/staff.*

	N	Percent	95% Confidence Interval
a. In school buildings			
Senior High School	73	100	100 - 100
Middle School	98	100	100 - 100
Junior/Senior High School Combined	76	98	96 - 100
Overall	247	99	99 - 100
b. Outside on school grounds, including parking lots and playing fields			
Senior High School	73	98	96 - 100
Middle School	98	99	98 - 100
Junior/Senior High School Combined	76	95	92 - 98
Overall	247	98	96 - 99
c. On school buses or other vehicles used to transport students			
Senior High School	73	98	96 - 100
Middle School	98	100	100 - 100
Junior/Senior High School Combined	76	98	96 - 100
Overall	247	99	98 - 100
d. At off-campus, school-sponsored events			
Senior High School	73	84	78 - 90
Middle School	98	91	87 - 95
Junior/Senior High School Combined	76	79	72 - 86
Overall	247	85	82 - 89

*Among those schools that have adopted a policy prohibiting tobacco use.
N=Unweighted number of observations

**Arkansas Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

23 (Visitors). Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for visitors.*

	N	Percent	95% Confidence Interval
a. In school buildings			
Senior High School	73	98	96 - 100
Middle School	98	100	100 - 100
Junior/Senior High School Combined	76	98	96 - 100
Overall	247	99	98 - 100
b. Outside on school grounds, including parking lots and playing fields			
Senior High School	73	93	88 - 97
Middle School	98	99	98 - 100
Junior/Senior High School Combined	75	87	82 - 92
Overall	246	93	91 - 95
c. On school buses or other vehicles used to transport students			
Senior High School	73	98	96 - 100
Middle School	98	99	98 - 100
Junior/Senior High School Combined	75	98	96 - 100
Overall	246	98	97 - 100
d. At off-campus, school-sponsored events			
Senior High School	73	68	60 - 76
Middle School	98	80	74 - 86
Junior/Senior High School Combined	76	60	52 - 68
Overall	247	70	66 - 74

*Among those schools that have adopted a policy prohibiting tobacco use.
N=Unweighted number of observations

**Arkansas Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

23N. Percentage of schools that have an "ideal" tobacco-use prevention policy, which means that the school has a tobacco-use prevention policy that specifically prohibits cigarettes, smokeless tobacco, cigars, and pipes by students, faculty/staff, and visitors; during school hours and during non-school hours; in school buildings, outside on school grounds, on school buses or other vehicles used to transport students, and at off-campus, school-sponsored events.*

	N	Percent	95% Confidence Interval
Senior High School	72	58	50 - 65
Middle School	95	65	58 - 72
Junior/Senior High School Combined	72	50	42 - 58
Overall	239	58	54 - 63

*Responses to question 21 (a, b, c, and d), question 22 (a and b), and question 23 (a, b, c, and d) are all "yes."
N=Unweighted number of observations

**Arkansas Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

24. Percentage of schools that have procedures to inform each of the following groups about the tobacco-use prevention policy that prohibits their use of tobacco.*

	N	Percent	95% Confidence Interval
a. Students			
Senior High School	73	100	100 - 100
Middle School	98	100	100 - 100
Junior/Senior High School Combined	76	99	97 - 100
Overall	247	100	99 - 100
b. Faculty and staff			
Senior High School	73	100	100 - 100
Middle School	98	99	98 - 100
Junior/Senior High School Combined	76	99	97 - 100
Overall	247	99	99 - 100
c. Visitors			
Senior High School	72	98	95 - 100
Middle School	97	97	94 - 99
Junior/Senior High School Combined	75	94	90 - 98
Overall	244	96	95 - 98

*Among those schools that have adopted a policy prohibiting tobacco use.
N=Unweighted number of observations

**Arkansas Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

25. Percentage of schools that have procedures to inform students' families about rules related to tobacco use by students.*

	N	Percent	95% Confidence Interval
a. Yes			
Senior High School	72	100	100 - 100
Middle School	97	100	100 - 100
Junior/Senior High School Combined	74	100	100 - 100
Overall	243	100	100 - 100
b. No			
Senior High School	72	0	0 - 0
Middle School	97	0	0 - 0
Junior/Senior High School Combined	74	0	0 - 0
Overall	243	0	0 - 0

*Among those schools that have adopted a policy prohibiting tobacco use.
N=Unweighted number of observations

**Arkansas Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

26 (Never). Percentage of schools that NEVER take the following actions when students are caught smoking cigarettes.*

	N	Percent	95% Confidence Interval
a. Parents or guardians are informed			
Senior High School	73	1	0 - 3
Middle School	97	0	0 - 0
Junior/Senior High School Combined	75	0	0 - 0
Overall	245	0	0 - 1
b. Referred to a school counselor			
Senior High School	68	10	7 - 14
Middle School	95	4	1 - 7
Junior/Senior High School Combined	74	10	5 - 14
Overall	237	8	5 - 10
c. Referred to a school administrator			
Senior High School	72	1	0 - 3
Middle School	96	0	0 - 0
Junior/Senior High School Combined	73	1	0 - 3
Overall	241	1	0 - 2
d. Encouraged, but not required, to participate in an assistance, education, or cessation program			
Senior High School	71	26	18 - 34
Middle School	95	20	15 - 25
Junior/Senior High School Combined	74	21	15 - 26
Overall	240	22	18 - 26
e. Required to participate in an assistance, education, or cessation program			
Senior High School	68	50	42 - 59
Middle School	95	39	32 - 46
Junior/Senior High School Combined	72	61	55 - 67
Overall	235	49	45 - 53
f. Referred to legal authorities			
Senior High School	70	35	26 - 44
Middle School	95	34	27 - 40
Junior/Senior High School Combined	74	33	26 - 41
Overall	239	34	30 - 38
g. Placed in detention			
Senior High School	67	29	22 - 35
Middle School	93	31	26 - 37
Junior/Senior High School Combined	73	24	17 - 30
Overall	233	28	24 - 32

*Among those schools that have adopted a policy prohibiting tobacco use.
N=Unweighted number of observations

**Arkansas Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

26 (Never). Percentage of schools that NEVER take the following actions when students are caught smoking cigarettes.*

	N	Percent	95% Confidence Interval
h. Not allowed to participate in extra-curricular activities or interscholastic sports			
Senior High School	69	16	10 - 21
Middle School	96	16	11 - 22
Junior/Senior High School Combined	74	12	7 - 17
Overall	239	15	12 - 18
i. Given in-school suspension			
Senior High School	70	18	11 - 25
Middle School	95	13	9 - 17
Junior/Senior High School Combined	72	14	8 - 20
Overall	237	15	12 - 18
j. Suspended from school			
Senior High School	71	9	5 - 14
Middle School	90	4	1 - 7
Junior/Senior High School Combined	74	5	2 - 9
Overall	235	6	4 - 8
k. Expelled from school			
Senior High School	71	60	51 - 69
Middle School	95	54	46 - 61
Junior/Senior High School Combined	74	51	43 - 58
Overall	240	55	50 - 59
l. Reassigned to an alternative school			
Senior High School	71	49	42 - 56
Middle School	95	39	32 - 45
Junior/Senior High School Combined	74	41	33 - 49
Overall	240	42	38 - 47

*Among those schools that have adopted a policy prohibiting tobacco use.
N=Unweighted number of observations

**Arkansas Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

26 (Rarely). Percentage of schools that RARELY take the following actions when students are caught smoking cigarettes.*

	N	Percent	95% Confidence Interval
a. Parents or guardians are informed			
Senior High School	73	0	0 - 0
Middle School	97	0	0 - 0
Junior/Senior High School Combined	75	0	0 - 0
Overall	245	0	0 - 0
b. Referred to a school counselor			
Senior High School	68	30	23 - 38
Middle School	95	18	13 - 23
Junior/Senior High School Combined	74	27	20 - 34
Overall	237	24	21 - 28
c. Referred to a school administrator			
Senior High School	72	0	0 - 0
Middle School	96	0	0 - 0
Junior/Senior High School Combined	73	0	0 - 0
Overall	241	0	0 - 0
d. Encouraged, but not required, to participate in an assistance, education, or cessation program			
Senior High School	71	32	24 - 41
Middle School	95	37	30 - 44
Junior/Senior High School Combined	74	31	24 - 38
Overall	240	34	30 - 38
e. Required to participate in an assistance, education, or cessation program			
Senior High School	68	29	21 - 36
Middle School	95	25	19 - 31
Junior/Senior High School Combined	72	30	24 - 36
Overall	235	27	24 - 31
f. Referred to legal authorities			
Senior High School	70	32	24 - 40
Middle School	95	31	25 - 37
Junior/Senior High School Combined	74	42	35 - 50
Overall	239	35	31 - 39
g. Placed in detention			
Senior High School	67	10	5 - 16
Middle School	93	4	1 - 7
Junior/Senior High School Combined	73	14	9 - 20
Overall	233	9	7 - 12

*Among those schools that have adopted a policy prohibiting tobacco use.
N=Unweighted number of observations

**Arkansas Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

26 (Rarely). Percentage of schools that RARELY take the following actions when students are caught smoking cigarettes.*

	N	Percent	95% Confidence Interval
h. Not allowed to participate in extra-curricular activities or interscholastic sports			
Senior High School	69	25	18 - 31
Middle School	96	22	16 - 27
Junior/Senior High School Combined	74	16	10 - 22
Overall	239	21	17 - 24
i. Given in-school suspension			
Senior High School	70	4	1 - 7
Middle School	95	4	1 - 7
Junior/Senior High School Combined	72	10	5 - 14
Overall	237	6	4 - 8
j. Suspended from school			
Senior High School	71	21	15 - 27
Middle School	90	16	11 - 21
Junior/Senior High School Combined	74	17	11 - 24
Overall	235	18	15 - 21
k. Expelled from school			
Senior High School	71	34	26 - 42
Middle School	95	38	32 - 45
Junior/Senior High School Combined	74	29	23 - 35
Overall	240	34	30 - 38
l. Reassigned to an alternative school			
Senior High School	71	37	29 - 44
Middle School	95	42	36 - 48
Junior/Senior High School Combined	74	32	25 - 39
Overall	240	37	33 - 41

*Among those schools that have adopted a policy prohibiting tobacco use.
N=Unweighted number of observations

**Arkansas Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

26 (Sometimes). Percentage of schools that SOMETIMES take the following actions when students are caught smoking cigarettes.*

	N	Percent	95% Confidence Interval
a. Parents or guardians are informed			
Senior High School	73	7	3 - 11
Middle School	97	3	1 - 5
Junior/Senior High School Combined	75	7	3 - 11
Overall	245	5	3 - 7
b. Referred to a school counselor			
Senior High School	68	55	48 - 63
Middle School	95	56	49 - 64
Junior/Senior High School Combined	74	51	43 - 59
Overall	237	55	50 - 59
c. Referred to a school administrator			
Senior High School	72	2	0 - 5
Middle School	96	0	0 - 0
Junior/Senior High School Combined	73	0	0 - 0
Overall	241	1	0 - 1
d. Encouraged, but not required, to participate in an assistance, education, or cessation program			
Senior High School	71	31	23 - 39
Middle School	95	25	19 - 31
Junior/Senior High School Combined	74	36	28 - 45
Overall	240	30	26 - 35
e. Required to participate in an assistance, education, or cessation program			
Senior High School	68	12	7 - 17
Middle School	95	22	16 - 28
Junior/Senior High School Combined	72	8	4 - 12
Overall	235	15	12 - 18
f. Referred to legal authorities			
Senior High School	70	27	20 - 33
Middle School	95	32	25 - 39
Junior/Senior High School Combined	74	16	11 - 22
Overall	239	26	22 - 29
g. Placed in detention			
Senior High School	67	26	19 - 33
Middle School	93	35	29 - 42
Junior/Senior High School Combined	73	35	28 - 42
Overall	233	33	29 - 36

*Among those schools that have adopted a policy prohibiting tobacco use.
N=Unweighted number of observations

**Arkansas Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

26 (Sometimes). Percentage of schools that SOMETIMES take the following actions when students are caught smoking cigarettes.*

	N	Percent	95% Confidence Interval
h. Not allowed to participate in extra-curricular activities or interscholastic sports			
Senior High School	69	51	42 - 59
Middle School	96	45	38 - 52
Junior/Senior High School Combined	74	50	43 - 58
Overall	239	48	44 - 53
i. Given in-school suspension			
Senior High School	70	36	28 - 43
Middle School	95	51	44 - 58
Junior/Senior High School Combined	72	51	43 - 59
Overall	237	46	42 - 50
j. Suspended from school			
Senior High School	71	48	40 - 56
Middle School	90	50	43 - 57
Junior/Senior High School Combined	74	52	44 - 59
Overall	235	50	45 - 54
k. Expelled from school			
Senior High School	71	3	0 - 6
Middle School	95	7	4 - 10
Junior/Senior High School Combined	74	20	13 - 27
Overall	240	10	7 - 13
l. Reassigned to an alternative school			
Senior High School	71	13	8 - 18
Middle School	95	15	10 - 19
Junior/Senior High School Combined	74	24	18 - 31
Overall	240	17	14 - 20

*Among those schools that have adopted a policy prohibiting tobacco use.
N=Unweighted number of observations

**Arkansas Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

26 (Always). Percentage of schools that ALWAYS or ALMOST ALWAYS take the following actions when students are caught smoking cigarettes.*

	N	Percent	95% Confidence Interval
a. Parents or guardians are informed			
Senior High School	73	92	87 - 96
Middle School	97	97	95 - 99
Junior/Senior High School Combined	75	93	89 - 97
Overall	245	94	92 - 96
b. Referred to a school counselor			
Senior High School	68	4	1 - 8
Middle School	95	21	16 - 27
Junior/Senior High School Combined	74	12	7 - 18
Overall	237	14	10 - 17
c. Referred to a school administrator			
Senior High School	72	96	93 - 99
Middle School	96	100	100 - 100
Junior/Senior High School Combined	73	99	97 - 100
Overall	241	98	97 - 100
d. Encouraged, but not required, to participate in an assistance, education, or cessation program			
Senior High School	71	11	6 - 16
Middle School	95	18	12 - 23
Junior/Senior High School Combined	74	12	7 - 17
Overall	240	14	11 - 17
e. Required to participate in an assistance, education, or cessation program			
Senior High School	68	9	5 - 14
Middle School	95	14	10 - 19
Junior/Senior High School Combined	72	1	0 - 3
Overall	235	9	7 - 11
f. Referred to legal authorities			
Senior High School	70	7	3 - 11
Middle School	95	3	1 - 6
Junior/Senior High School Combined	74	8	4 - 12
Overall	239	6	4 - 8
g. Placed in detention			
Senior High School	67	35	27 - 43
Middle School	93	29	23 - 34
Junior/Senior High School Combined	73	27	21 - 33
Overall	233	30	26 - 34

*Among those schools that have adopted a policy prohibiting tobacco use.
N=Unweighted number of observations

**Arkansas Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

26 (Always). Percentage of schools that ALWAYS or ALMOST ALWAYS take the following actions when students are caught smoking cigarettes.*

	N	Percent	95% Confidence Interval
h. Not allowed to participate in extra-curricular activities or interscholastic sports			
Senior High School	69	9	4 - 14
Middle School	96	17	12 - 22
Junior/Senior High School Combined	74	22	14 - 29
Overall	239	16	13 - 19
i. Given in-school suspension			
Senior High School	70	42	35 - 50
Middle School	95	32	26 - 39
Junior/Senior High School Combined	72	25	19 - 32
Overall	237	33	29 - 37
j. Suspended from school			
Senior High School	71	22	15 - 28
Middle School	90	30	24 - 36
Junior/Senior High School Combined	74	26	19 - 32
Overall	235	26	22 - 30
k. Expelled from school			
Senior High School	71	3	0 - 6
Middle School	95	1	0 - 3
Junior/Senior High School Combined	74	0	0 - 0
Overall	240	1	0 - 3
l. Reassigned to an alternative school			
Senior High School	71	1	0 - 3
Middle School	95	4	2 - 6
Junior/Senior High School Combined	74	3	0 - 5
Overall	240	3	2 - 4

*Among those schools that have adopted a policy prohibiting tobacco use.
N=Unweighted number of observations

**Arkansas Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

27. Percentage of schools that provide referrals to tobacco cessation programs for each of the following groups.

	N	Percent	95% Confidence Interval
a. Faculty and staff			
Senior High School	74	17	12 - 22
Middle School	100	15	10 - 20
Junior/Senior High School Combined	78	16	11 - 21
Overall	252	16	13 - 19
b. Students			
Senior High School	74	33	27 - 39
Middle School	101	39	33 - 45
Junior/Senior High School Combined	78	26	19 - 32
Overall	253	33	29 - 37

**Arkansas Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

28. Percentage of schools that prohibit tobacco advertising in each of the following locations.

	N	Percent	95% Confidence Interval
a. In the school building			
Senior High School	74	95	93 - 98
Middle School	100	96	93 - 99
Junior/Senior High School Combined	78	95	92 - 98
Overall	252	95	94 - 97
b. On school grounds including on the outside of the building, on playing fields, or other areas of the campus			
Senior High School	74	92	89 - 96
Middle School	100	96	93 - 99
Junior/Senior High School Combined	78	95	92 - 98
Overall	252	95	93 - 96
c. On school buses or other vehicles used to transport students			
Senior High School	74	94	91 - 97
Middle School	100	97	94 - 99
Junior/Senior High School Combined	78	95	92 - 98
Overall	252	95	94 - 97
d. In school publications			
Senior High School	74	89	85 - 94
Middle School	100	95	92 - 98
Junior/Senior High School Combined	78	95	92 - 98
Overall	252	93	91 - 95

**Arkansas Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

29. Percentage of schools that prohibit tobacco advertising through sponsorship of school events.

	N	Percent	95% Confidence Interval
Senior High School	74	88	83 - 93
Middle School	100	93	89 - 97
Junior/Senior High School Combined	78	92	88 - 96
Overall	252	91	89 - 94

**Arkansas Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

30. Percentage of schools that prohibit students from wearing tobacco brand-name apparel or carrying merchandise with tobacco company names, logos, or cartoon characters on it.

	N	Percent	95% Confidence Interval
Senior High School	73	95	91 - 98
Middle School	101	95	93 - 98
Junior/Senior High School Combined	78	97	95 - 100
Overall	252	96	94 - 98

**Arkansas Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

30N. Percentage of schools that prohibit tobacco advertising in all locations and through sponsorship of school events, and on student apparel or merchandise.*

	N	Percent	95% Confidence Interval
Senior High School	73	74	68 - 81
Middle School	99	84	79 - 89
Junior/Senior High School Combined	78	87	81 - 93
Overall	250	82	79 - 85

*Responses to question 28 (a, b, c, and d), question 29, and question 30 are all "yes."
N=Unweighted number of observations

**Arkansas Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

31. Percentage of schools that post signs marking a tobacco-free school zone, that is, a specified distance from school grounds where tobacco use is not allowed.

	N	Percent	95% Confidence Interval
Senior High School	74	83	76 - 90
Middle School	100	88	84 - 93
Junior/Senior High School Combined	77	83	77 - 90
Overall	251	85	82 - 89

**Arkansas Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

32N. Percentage of schools that usually give students the following amount of time to eat lunch once they are seated.*

	N	Percent	95% Confidence Interval
a. Less than 20 minutes			
Senior High School	74	9	4 - 13
Middle School	101	15	10 - 21
Junior/Senior High School Combined	77	10	5 - 15
Overall	252	12	9 - 15
b. 20 minutes or more			
Senior High School	74	91	87 - 96
Middle School	101	85	79 - 90
Junior/Senior High School Combined	77	90	85 - 95
Overall	252	88	85 - 91

*Among schools that serve lunch to students.
N=Unweighted number of observations

**Arkansas Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

33. Percentage of schools that have adopted a policy stating that, if food is served at student parties, after-school or extended day programs, or concession stands, fruits and vegetables will be among the foods offered.

	N	Percent	95% Confidence Interval
Senior High School	74	35	28 - 42
Middle School	100	38	31 - 46
Junior/Senior High School Combined	77	32	25 - 40
Overall	251	35	31 - 40

**Arkansas Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

34. Percentage of schools in which students can purchase snack foods or beverages from one or more vending machines at the school or at a school store, canteen, or snack bar.

	N	Percent	95% Confidence Interval
Senior High School	74	78	71 - 85
Middle School	102	70	64 - 76
Junior/Senior High School Combined	78	64	56 - 72
Overall	254	71	67 - 75

**Arkansas Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

35. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.*

	N	Percent	95% Confidence Interval
a. Chocolate candy			
Senior High School	59	38	30 - 47
Middle School	72	28	20 - 36
Junior/Senior High School Combined	49	35	25 - 46
Overall	180	33	28 - 38
b. Other kinds of candy			
Senior High School	59	41	33 - 50
Middle School	71	31	23 - 39
Junior/Senior High School Combined	49	41	32 - 51
Overall	179	37	32 - 42
c. Salty snacks that are not low in fat, such as regular potato chips			
Senior High School	59	40	32 - 48
Middle School	72	35	27 - 43
Junior/Senior High School Combined	49	37	27 - 47
Overall	180	37	32 - 42
d. Salty snacks that are low in fat, such as pretzels, baked chips, or other low fat chips			
Senior High School	58	55	46 - 64
Middle School	71	49	41 - 57
Junior/Senior High School Combined	49	45	35 - 56
Overall	178	50	45 - 55
e. Fruits or vegetables, not juice			
Senior High School	58	30	21 - 39
Middle School	71	22	15 - 29
Junior/Senior High School Combined	49	8	3 - 13
Overall	178	21	16 - 25
f. Low-fat cookies, crackers, cakes, pastries, or other low-fat baked goods			
Senior High School	58	50	40 - 60
Middle School	71	46	38 - 54
Junior/Senior High School Combined	49	33	24 - 41
Overall	178	44	39 - 49

*Among those schools where students can purchase snack foods or beverages from one or more vending machines at the school or at a school store, canteen, or snack bar.

N=Unweighted number of observations

**Arkansas Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

35. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.*

	N	Percent	95% Confidence Interval
g. Soda pop or fruit drinks that are not 100% juice			
Senior High School	59	96	92 - 100
Middle School	72	83	77 - 89
Junior/Senior High School Combined	49	96	92 - 100
Overall	180	91	88 - 94
h. Sports drinks			
Senior High School	59	93	87 - 98
Middle School	71	71	64 - 78
Junior/Senior High School Combined	49	89	83 - 96
Overall	179	83	79 - 87
i. 100% fruit juice or vegetable juice			
Senior High School	59	76	68 - 83
Middle School	70	61	52 - 69
Junior/Senior High School Combined	49	74	65 - 82
Overall	178	69	65 - 74
j. Bottled water			
Senior High School	59	98	96 - 100
Middle School	72	93	88 - 97
Junior/Senior High School Combined	49	92	87 - 97
Overall	180	94	92 - 97
k. 1% or skim milk			
Senior High School	58	46	36 - 56
Middle School	72	44	36 - 51
Junior/Senior High School Combined	48	25	17 - 33
Overall	178	39	34 - 44
l. 2% or whole milk (plain or flavored)			
Senior High School	58	57	48 - 67
Middle School	72	47	39 - 55
Junior/Senior High School Combined	48	37	27 - 47
Overall	178	48	42 - 53

*Among those schools where students can purchase snack foods or beverages from one or more vending machines at the school or at a school store, canteen, or snack bar.

N=Unweighted number of observations

**Arkansas Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

36. Percentage of schools in which students can purchase candy; snacks that are not low in fat; soda pop, sports drinks, or fruit drinks that are not 100% fruit juice; or 2% or whole milk during the following times.*

	N	Percent	95% Confidence Interval
a. Before classes begin in the morning			
Senior High School	57	64	54 - 73
Middle School	72	27	20 - 35
Junior/Senior High School Combined	49	45	36 - 54
Overall	178	44	39 - 49
b. During any school hours when meals are not being served			
Senior High School	58	46	37 - 56
Middle School	70	19	13 - 26
Junior/Senior High School Combined	48	48	40 - 57
Overall	176	36	32 - 41
c. During school lunch periods			
Senior High School	57	49	39 - 60
Middle School	71	52	44 - 60
Junior/Senior High School Combined	48	45	34 - 56
Overall	176	49	44 - 55

*Among those schools where students can purchase snack foods or beverages from vending machines at the school or at the school store, canteen, or snack bar.
N=Unweighted number of observations

**Arkansas Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

37. Percentage of schools that have used the School Health Index from the Centers for Disease Control and Prevention to assess health and safety policies and programs.

	N	Percent	95% Confidence Interval
Senior High School	72	33	26 - 40
Middle School	97	36	29 - 43
Junior/Senior High School Combined	76	39	32 - 46
Overall	245	36	32 - 40

**Arkansas Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

38. Percentage of schools that have implemented each of the following safety and security measures.

	N	Percent	95% Confidence Interval
a. Require visitors to report to the main office or reception area upon arrival			
Senior High School	72	100	100 - 100
Middle School	101	100	100 - 100
Junior/Senior High School Combined	78	100	100 - 100
Overall	251	100	100 - 100
b. Maintain a "closed campus" where students are not allowed to leave school during the school day, including during lunchtime			
Senior High School	72	93	88 - 97
Middle School	101	100	100 - 100
Junior/Senior High School Combined	78	97	95 - 100
Overall	251	97	96 - 98
c. Use staff or adult volunteers to monitor school halls during and between classes			
Senior High School	72	89	84 - 94
Middle School	101	95	92 - 98
Junior/Senior High School Combined	78	90	85 - 95
Overall	251	92	89 - 94
d. Routinely conduct locker searches			
Senior High School	71	63	56 - 70
Middle School	98	60	54 - 66
Junior/Senior High School Combined	78	63	55 - 70
Overall	247	62	58 - 66
e. Require students to wear school uniforms			
Senior High School	72	6	2 - 10
Middle School	100	15	10 - 19
Junior/Senior High School Combined	78	4	1 - 7
Overall	250	9	6 - 11
f. Require students to wear identification badges			
Senior High School	72	13	7 - 19
Middle School	101	12	7 - 17
Junior/Senior High School Combined	78	1	0 - 3
Overall	251	9	6 - 12

**Arkansas Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

38. Percentage of schools that have implemented each of the following safety and security measures.

	N	Percent	95% Confidence Interval
g. Use metal detectors, including wands			
Senior High School	72	23	16 - 30
Middle School	101	21	16 - 26
Junior/Senior High School Combined	78	9	5 - 13
Overall	251	18	15 - 21
h. Use security or surveillance cameras, either inside or outside of the building			
Senior High School	72	66	59 - 72
Middle School	101	54	47 - 60
Junior/Senior High School Combined	77	49	41 - 56
Overall	250	56	51 - 60
i. Use police, school resource officers, or security guards during the regular school day			
Senior High School	72	74	67 - 81
Middle School	101	75	68 - 81
Junior/Senior High School Combined	78	41	35 - 47
Overall	251	64	60 - 68

**Arkansas Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

39. Percentage of schools that have or participate in each of the following programs.

	N	Percent	95% Confidence Interval
a. A peer mediation program			
Senior High School	73	28	21 - 34
Middle School	100	35	28 - 41
Junior/Senior High School Combined	78	24	17 - 30
Overall	251	29	25 - 33
b. A safe-passages to school program			
Senior High School	73	6	2 - 9
Middle School	99	5	2 - 8
Junior/Senior High School Combined	78	6	2 - 10
Overall	250	6	4 - 8
c. A program to prevent gang violence			
Senior High School	73	22	15 - 29
Middle School	100	40	33 - 47
Junior/Senior High School Combined	77	14	8 - 20
Overall	250	27	23 - 30
d. A program to prevent bullying			
Senior High School	73	61	54 - 69
Middle School	100	70	65 - 76
Junior/Senior High School Combined	78	75	68 - 81
Overall	251	69	66 - 73

**Arkansas Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

40. Percentage of schools that have a comprehensive plan to address crisis preparedness, response, and recovery in the event of a natural disaster or other emergency or crisis situation.

	N	Percent	95% Confidence Interval
Senior High School	72	99	97 - 100
Middle School	97	100	100 - 100
Junior/Senior High School Combined	76	99	98 - 100
Overall	245	99	99 - 100

**Arkansas Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

41. Percentage of schools that have a school nurse who provides standard health services to students.

	N	Percent	95% Confidence Interval
Senior High School	73	100	100 - 100
Middle School	102	100	100 - 100
Junior/Senior High School Combined	78	96	93 - 99
Overall	253	99	98 - 100

**Arkansas Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

42. Percentage of schools in which students are permitted to carry and self-administer each of the following medications.

	N	Percent	95% Confidence Interval
a. A prescription quick-relief inhaler			
Senior High School	73	82	75 - 88
Middle School	101	84	79 - 90
Junior/Senior High School Combined	75	80	74 - 86
Overall	249	82	79 - 86
b. An epinephrine auto-injector (e.g., EpiPen®)			
Senior High School	72	49	41 - 58
Middle School	101	47	41 - 54
Junior/Senior High School Combined	76	45	36 - 53
Overall	249	47	43 - 52
c. Insulin or other injected medications			
Senior High School	70	36	27 - 45
Middle School	100	25	18 - 31
Junior/Senior High School Combined	76	35	27 - 42
Overall	246	31	27 - 35
d. Any other prescribed medications			
Senior High School	72	14	8 - 19
Middle School	100	7	3 - 11
Junior/Senior High School Combined	76	4	1 - 6
Overall	248	8	6 - 10
e. Any over-the-counter medications			
Senior High School	72	22	15 - 29
Middle School	100	7	4 - 10
Junior/Senior High School Combined	76	5	2 - 8
Overall	248	11	8 - 13

**Arkansas Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

42N. Percentage of schools in which students are permitted to carry and self-administer a prescription quick-relief inhaler, an epinephrine auto-injector, and insulin or other injected medications.*

	N	Percent	95% Confidence Interval
Senior High School	70	30	23 - 38
Middle School	100	21	15 - 27
Junior/Senior High School Combined	74	23	16 - 30
Overall	244	24	20 - 28

*Responses to questions 42a, b, and c all are "yes."
N=Unweighted number of observations

**Arkansas Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

43. Percentage of schools that provide each of the following health services to students.

	N	Percent	95% Confidence Interval
a. Identification or school-based management of chronic health conditions, such as asthma or diabetes			
Senior High School	71	76	70 - 82
Middle School	102	79	74 - 84
Junior/Senior High School Combined	76	61	53 - 69
Overall	249	73	69 - 76
b. Identification or school-based management of acute illnesses			
Senior High School	71	68	60 - 75
Middle School	102	74	69 - 79
Junior/Senior High School Combined	76	54	46 - 62
Overall	249	66	62 - 70
c. An Asthma Action Plan (or Individualized Health Plan) for all students with asthma			
Senior High School	72	63	56 - 70
Middle School	102	73	68 - 79
Junior/Senior High School Combined	75	62	54 - 70
Overall	249	67	63 - 71
d. Immunizations			
Senior High School	72	56	49 - 64
Middle School	102	48	41 - 54
Junior/Senior High School Combined	76	42	34 - 49
Overall	250	48	44 - 53
e. Assistance with enrolling in Medicaid or SCHIP (State Children's Health Insurance Program)			
Senior High School	72	65	57 - 74
Middle School	102	52	45 - 58
Junior/Senior High School Combined	75	62	56 - 69
Overall	249	59	55 - 63

**Arkansas Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

44. Percentage of schools that have adopted a policy on students and/or staff who have HIV infection or AIDS.

	N	Percent	95% Confidence Interval
Senior High School	72	38	30 - 45
Middle School	98	40	33 - 47
Junior/Senior High School Combined	73	19	13 - 26
Overall	243	33	29 - 37

**Arkansas Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

45. Percentage of schools with a policy that addresses each of the following issues for students and/or staff with HIV infection or AIDS.*

	N	Percent	95% Confidence Interval
a. Attendance of students with HIV infection			
Senior High School	27	100	100 - 100
Middle School	38	86	79 - 94
Junior/Senior High School Combined	13	84	68 - 99
Overall	78	91	86 - 95
b. Procedures to protect HIV-infected students and staff from discrimination			
Senior High School	27	97	92 - 100
Middle School	38	100	100 - 100
Junior/Senior High School Combined	13	100	100 - 100
Overall	78	99	97 - 100
c. Maintaining confidentiality of HIV-infected students and staff			
Senior High School	27	100	100 - 100
Middle School	38	97	93 - 100
Junior/Senior High School Combined	13	100	100 - 100
Overall	78	99	97 - 100
d. Worksite safety			
Senior High School	27	95	88 - 100
Middle School	38	100	100 - 100
Junior/Senior High School Combined	13	100	100 - 100
Overall	78	98	96 - 100
e. Confidential counseling for HIV-infected students			
Senior High School	27	97	92 - 100
Middle School	38	79	70 - 88
Junior/Senior High School Combined	13	100	100 - 100
Overall	78	89	84 - 94
f. Communication of the policy to students, school staff, and parents			
Senior High School	27	100	100 - 100
Middle School	37	97	94 - 100
Junior/Senior High School Combined	13	92	83 - 100
Overall	77	97	95 - 100

*Among schools that have adopted a policy on students and/or staff who have HIV infection or AIDS.
N=Unweighted number of observations

**Arkansas Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

45. Percentage of schools with a policy that addresses each of the following issues for students and/or staff with HIV infection or AIDS.*

	N	Percent	95% Confidence Interval
g. Adequate training about HIV infection for school staff			
Senior High School	27	92	85 - 99
Middle School	37	86	78 - 94
Junior/Senior High School Combined	13	77	61 - 94
Overall	77	87	81 - 92
h. Procedures for implementing the policy			
Senior High School	27	100	100 - 100
Middle School	37	95	90 - 100
Junior/Senior High School Combined	13	92	82 - 100
Overall	77	96	93 - 99

*Among schools that have adopted a policy on students and/or staff who have HIV infection or AIDS.
N=Unweighted number of observations