

**Arkansas
2008 School Health Profiles Report
Weighted Principal Survey Results**

2. Percentage of schools that ever used the School Health Index or other self-assessment tool to assess school policies, activities, and programs in the following areas.

	N	Percent	95% Confidence Interval
a. Physical activity			
High Schools	63	71	64 - 78
Middle Schools	80	86	80 - 90
Junior/Senior High Schools	63	67	58 - 75
All Schools	206	75	71 - 79
b. Nutrition			
High Schools	62	71	62 - 78
Middle Schools	78	83	76 - 88
Junior/Senior High Schools	62	68	59 - 75
All Schools	202	74	70 - 78
c. Tobacco-use prevention			
High Schools	62	63	53 - 72
Middle Schools	76	76	68 - 82
Junior/Senior High Schools	63	65	55 - 74
All Schools	201	68	63 - 73
d. Asthma			
High Schools	59	39	29 - 50
Middle Schools	76	57	50 - 65
Junior/Senior High Schools	61	33	25 - 42
All Schools	196	44	39 - 49

NA=Not available

N=Unweighted number of observations

**Arkansas
2008 School Health Profiles Report
Weighted Principal Survey Results**

3. Percentage of schools that have a copy of district's wellness policy.

	N	Percent	95% Confidence Interval
Yes			
High Schools	63	95	89 - 98
Middle Schools	84	94	89 - 97
Junior/Senior High Schools	63	94	87 - 97
All Schools	210	94	91 - 96
No			
High Schools	63	5	2 - 11
Middle Schools	84	5	2 - 10
Junior/Senior High Schools	63	6	3 - 13
All Schools	210	5	3 - 8
District does not have wellness policy			
High Schools	63	0	NA
Middle Schools	84	1	0 - 6
Junior/Senior High Schools	63	0	NA
All Schools	210	1	0 - 2

NA=Not available

N=Unweighted number of observations

**Arkansas
2008 School Health Profiles Report
Weighted Principal Survey Results**

4. Percentage of schools that currently have someone who oversees or coordinates school health and safety programs and activities.

	N	Percent	95% Confidence Interval
High Schools	62	87	80 - 92
Middle Schools	84	95	90 - 98
Junior/Senior High Schools	62	89	82 - 93
All Schools	208	91	88 - 93

**Arkansas
2008 School Health Profiles Report
Weighted Principal Survey Results**

5. Percentage of schools that have one or more than one group (e.g., a school health council, committee, or team) that offers guidance on the development of policies or coordinates activities on health topics.

	N	Percent	95% Confidence Interval
High Schools	60	80	70 - 87
Middle Schools	82	84	78 - 89
Junior/Senior High Schools	63	82	74 - 88
All Schools	205	82	78 - 86

**Arkansas
2008 School Health Profiles Report
Weighted Principal Survey Results**

6. Percentage of schools that have the following groups represented on any school health council, committee, or team.*

	N	Percent	95% Confidence Interval
a. School administration			
High Schools	47	100	NA
Middle Schools	67	100	NA
Junior/Senior High Schools	52	100	NA
All Schools	166	100	NA
b. Health education teachers			
High Schools	47	100	NA
Middle Schools	68	98	93 - 100
Junior/Senior High Schools	52	96	90 - 99
All Schools	167	98	96 - 99
c. Physical education teachers			
High Schools	47	100	NA
Middle Schools	68	97	91 - 99
Junior/Senior High Schools	52	100	NA
All Schools	167	99	96 - 100
d. Mental health or social services staff			
High Schools	45	59	48 - 70
Middle Schools	66	60	51 - 69
Junior/Senior High Schools	49	46	35 - 58
All Schools	160	56	50 - 62
e. Nutrition or food service staff			
High Schools	45	96	89 - 99
Middle Schools	68	87	80 - 92
Junior/Senior High Schools	50	100	NA
All Schools	163	93	90 - 96
f. Health services staff (e.g., school nurse)			
High Schools	47	98	90 - 99
Middle Schools	68	89	81 - 93
Junior/Senior High Schools	50	96	89 - 99
All Schools	165	93	90 - 96

*Among those schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

NA=Not available

N=Unweighted number of observations

**Arkansas
2008 School Health Profiles Report
Weighted Principal Survey Results**

6. Percentage of schools that have the following groups represented on any school health council, committee, or team.*

	N	Percent	95% Confidence Interval
g. Maintenance and transportation staff			
High Schools	41	31	21 - 43
Middle Schools	63	28	21 - 35
Junior/Senior High Schools	47	19	12 - 28
All Schools	151	26	21 - 31
h. Student body			
High Schools	46	83	73 - 90
Middle Schools	64	65	56 - 73
Junior/Senior High Schools	49	90	81 - 95
All Schools	159	78	73 - 83
i. Parents or families of students			
High Schools	46	76	66 - 83
Middle Schools	67	88	80 - 93
Junior/Senior High Schools	49	94	86 - 97
All Schools	162	86	82 - 90
j. Community			
High Schools	44	74	64 - 83
Middle Schools	67	70	61 - 78
Junior/Senior High Schools	50	82	73 - 88
All Schools	161	75	70 - 80
k. Local health departments, agencies, or organizations			
High Schools	44	57	45 - 68
Middle Schools	65	43	34 - 53
Junior/Senior High Schools	50	34	25 - 43
All Schools	159	44	38 - 50
l. Faith-based organizations			
High Schools	42	23	15 - 35
Middle Schools	64	17	11 - 26
Junior/Senior High Schools	48	15	8 - 24
All Schools	154	18	14 - 23

*Among those schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

NA=Not available

N=Unweighted number of observations

**Arkansas
2008 School Health Profiles Report
Weighted Principal Survey Results**

6. Percentage of schools that have the following groups represented on any school health council, committee, or team.*

	N	Percent	95% Confidence Interval
m. Businesses			
High Schools	42	38	27 - 50
Middle Schools	63	33	25 - 42
Junior/Senior High Schools	49	29	19 - 40
All Schools	154	33	27 - 39
n. Local government			
High Schools	41	24	16 - 35
Middle Schools	62	24	17 - 33
Junior/Senior High Schools	50	26	18 - 36
All Schools	153	25	20 - 30

*Among those schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

NA=Not available

N=Unweighted number of observations

**Arkansas
2008 School Health Profiles Report
Weighted Principal Survey Results**

7. Percentage of schools that require school staff to receive professional development on HIV, STD, or pregnancy prevention issues and resources for the following groups.

	N	Percent	95% Confidence Interval
a. Ethnic/racial minority youth at high risk			
High Schools	64	27	20 - 34
Middle Schools	83	28	20 - 37
Junior/Senior High Schools	63	25	17 - 36
All Schools	210	27	22 - 32
b. Youth who participate in drop-out prevention, alternative education, or GED programs			
High Schools	64	35	28 - 42
Middle Schools	82	26	18 - 35
Junior/Senior High Schools	62	32	24 - 43
All Schools	208	30	26 - 36

NA=Not available

N=Unweighted number of observations

**Arkansas
2008 School Health Profiles Report
Weighted Principal Survey Results**

8. Percentage of schools that have a student-led club that aims to create a safe, welcoming, and accepting school environment for all youth, regardless of sexual orientation or gender identity.

	N	Percent	95% Confidence Interval
High Schools	62	20	13 - 29
Middle Schools	84	14	9 - 21
Junior/Senior High Schools	61	13	8 - 20
All Schools	207	15	12 - 19

**Arkansas
2008 School Health Profiles Report
Weighted Principal Survey Results**

9. Percentage of schools that have adopted a policy that addresses each of the following issues for students or staff with HIV infection or AIDS.

	N	Percent	95% Confidence Interval
a. Attendance of students with HIV infection			
High Schools	62	51	43 - 60
Middle Schools	81	45	36 - 54
Junior/Senior High Schools	62	29	22 - 38
All Schools	205	42	37 - 47
b. Procedures to protect HIV-infected students and staff from discrimination			
High Schools	61	55	47 - 64
Middle Schools	81	51	42 - 60
Junior/Senior High Schools	62	37	29 - 47
All Schools	204	48	43 - 53
c. Maintaining confidentiality of HIV-infected students and staff			
High Schools	61	70	62 - 77
Middle Schools	81	55	45 - 64
Junior/Senior High Schools	62	44	35 - 52
All Schools	204	56	50 - 61
d. Worksite safety			
High Schools	63	73	64 - 80
Middle Schools	81	59	49 - 68
Junior/Senior High Schools	62	45	35 - 56
All Schools	206	59	53 - 65
e. Confidential counseling for HIV-infected students			
High Schools	62	62	54 - 70
Middle Schools	80	42	32 - 52
Junior/Senior High Schools	62	37	29 - 47
All Schools	204	47	41 - 52
f. Communication of the policy to students, school staff, and parents			
High Schools	61	60	53 - 67
Middle Schools	80	44	35 - 54
Junior/Senior High Schools	62	31	23 - 41
All Schools	203	45	40 - 50

NA=Not available

N=Unweighted number of observations

**Arkansas
2008 School Health Profiles Report
Weighted Principal Survey Results**

9. Percentage of schools that have adopted a policy that addresses each of the following issues for students or staff with HIV infection or AIDS.

	N	Percent	95% Confidence Interval
g. Adequate training about HIV infection for school staff			
High Schools	62	51	41 - 61
Middle Schools	81	37	28 - 47
Junior/Senior High Schools	62	31	23 - 40
All Schools	205	39	34 - 45
h. Procedures for implementing the policy			
High Schools	61	57	47 - 65
Middle Schools	79	41	32 - 50
Junior/Senior High Schools	62	34	26 - 43
All Schools	202	43	38 - 49

NA=Not available

N=Unweighted number of observations

**Arkansas
2008 School Health Profiles Report
Weighted Principal Survey Results**

10. Percentage of schools that require all staff who teach health education topics to be certified, licensed, or endorsed by the state in health education.

	N	Percent	95% Confidence Interval
a. Yes			
High Schools	61	100	NA
Middle Schools	85	92	86 - 95
Junior/Senior High Schools	62	93	87 - 97
All Schools	208	95	92 - 97
b. No			
High Schools	61	0	NA
Middle Schools	85	6	3 - 11
Junior/Senior High Schools	62	7	3 - 13
All Schools	208	4	3 - 7
c. Not applicable			
High Schools	61	0	NA
Middle Schools	85	2	1 - 7
Junior/Senior High Schools	62	0	NA
All Schools	208	1	0 - 3

**Arkansas
2008 School Health Profiles Report
Weighted Principal Survey Results**

11. Percentage of schools that require physical education for students in any of grades 6 through 12.

	N	Percent	95% Confidence Interval
High Schools	60	95	88 - 98
Middle Schools	84	99	94 - 100
Junior/Senior High Schools	63	100	NA
All Schools	207	98	96 - 99

**Arkansas
2008 School Health Profiles Report
Weighted Principal Survey Results**

12. Percentage of all schools that taught a required physical education course in each of the following grades.*

	N	Percent	95% Confidence Interval
a. Sixth grade			
High Schools	NA	NA	NA
Middle Schools	52	98	91 - 100
Junior/Senior High Schools	14	86	66 - 95
All Schools	66	95	89 - 98
b. Seventh grade			
High Schools	NA	NA	NA
Middle Schools	73	93	87 - 96
Junior/Senior High Schools	52	96	89 - 99
All Schools	125	94	90 - 97
c. Eighth grade			
High Schools	NA	NA	NA
Middle Schools	69	91	85 - 95
Junior/Senior High Schools	57	95	88 - 98
All Schools	126	93	89 - 96
d. Ninth grade			
High Schools	44	90	80 - 95
Middle Schools	21	81	65 - 91
Junior/Senior High Schools	58	95	88 - 98
All Schools	123	91	86 - 94
e. Tenth grade			
High Schools	57	69	59 - 78
Middle Schools	NA	NA	NA
Junior/Senior High Schools	56	62	54 - 70
All Schools	113	66	59 - 72
f. Eleventh grade			
High Schools	56	67	56 - 76
Middle Schools	NA	NA	NA
Junior/Senior High Schools	56	55	46 - 65
All Schools	112	61	54 - 68
g. Twelfth grade			
High Schools	56	68	58 - 77
Middle Schools	NA	NA	NA
Junior/Senior High Schools	56	57	48 - 66
All Schools	112	63	56 - 69

*Among schools with students in that grade.
NA=Not available
N=Unweighted number of observations

**Arkansas
2008 School Health Profiles Report
Weighted Principal Survey Results**

13. Percentage of schools in which students can be exempted from taking a required physical education course for one grading period or longer for any of the following reasons.*

	N	Percent	95% Confidence Interval
a. Enrollment in other courses			
High Schools	56	29	21 - 40
Middle Schools	81	5	2 - 10
Junior/Senior High Schools	60	33	25 - 43
All Schools	197	21	17 - 25
b. Participation in school sports			
High Schools	56	45	36 - 54
Middle Schools	82	51	42 - 60
Junior/Senior High Schools	59	39	30 - 49
All Schools	197	45	40 - 51
c. Participation in other school activities			
High Schools	55	25	17 - 36
Middle Schools	82	24	18 - 32
Junior/Senior High Schools	60	20	13 - 29
All Schools	197	23	19 - 28
d. Participation in community sports activities			
High Schools	56	2	0 - 8
Middle Schools	80	10	6 - 17
Junior/Senior High Schools	61	12	6 - 20
All Schools	197	8	6 - 12
e. Religious reasons			
High Schools	55	34	26 - 43
Middle Schools	79	44	36 - 53
Junior/Senior High Schools	61	47	38 - 57
All Schools	195	42	37 - 47
f. Long-term physical or medical disability			
High Schools	56	70	60 - 79
Middle Schools	82	78	71 - 84
Junior/Senior High Schools	61	87	79 - 92
All Schools	199	79	74 - 83
g. Cognitive disability			
High Schools	56	29	21 - 38
Middle Schools	79	37	29 - 46
Junior/Senior High Schools	60	57	46 - 67
All Schools	195	41	36 - 46

*Among those schools that require physical education for students in any of grades 6 through 12.

NA=Not available

N=Unweighted number of observations

**Arkansas
2008 School Health Profiles Report
Weighted Principal Survey Results**

13. Percentage of schools in which students can be exempted from taking a required physical education course for one grading period or longer for any of the following reasons.*

	N	Percent	95% Confidence Interval
h. High physical fitness competency test score			
High Schools	56	2	0 - 7
Middle Schools	80	4	2 - 6
Junior/Senior High Schools	61	8	4 - 16
All Schools	197	5	3 - 7
i. Participation in vocational training			
High Schools	56	10	6 - 18
Middle Schools	80	2	1 - 7
Junior/Senior High Schools	61	18	12 - 26
All Schools	197	10	7 - 13
j. Participation in community service activities			
High Schools	56	2	0 - 8
Middle Schools	80	5	2 - 10
Junior/Senior High Schools	61	8	4 - 16
All Schools	197	5	3 - 8

*Among those schools that require physical education for students in any of grades 6 through 12.

NA=Not available

N=Unweighted number of observations

**Arkansas
2008 School Health Profiles Report
Weighted Principal Survey Results**

14. Percentage of schools in which all staff who teach physical education are certified, licensed, or endorsed by the state in physical education.

	N	Percent	95% Confidence Interval
a. Yes			
High Schools	62	100	NA
Middle Schools	85	96	92 - 98
Junior/Senior High Schools	63	98	93 - 100
All Schools	210	98	96 - 99
b. No			
High Schools	62	0	NA
Middle Schools	85	4	2 - 8
Junior/Senior High Schools	63	2	0 - 7
All Schools	210	2	1 - 4
c. Not Applicable			
High Schools	62	0	NA
Middle Schools	85	0	NA
Junior/Senior High Schools	63	0	NA
All Schools	210	0	NA

**Arkansas
2008 School Health Profiles Report
Weighted Principal Survey Results**

15. Percentage of schools in which physical education teachers or specialists received professional development on physical education during the past two years.

	N	Percent	95% Confidence Interval
High Schools	62	89	81 - 94
Middle Schools	85	94	89 - 97
Junior/Senior High Schools	63	90	83 - 95
All Schools	210	92	88 - 94

**Arkansas
2008 School Health Profiles Report
Weighted Principal Survey Results**

16. Percentage of schools that provide those who teach physical education with the following materials.

	N	Percent	95% Confidence Interval
a. Goals, objectives, and expected outcomes for physical education			
High Schools	61	97	91 - 99
Middle Schools	85	97	92 - 99
Junior/Senior High Schools	63	95	89 - 98
All Schools	209	96	94 - 98
b. A chart describing the annual scope and sequence of instruction for physical education			
High Schools	61	79	70 - 85
Middle Schools	83	76	68 - 83
Junior/Senior High Schools	62	62	51 - 71
All Schools	206	72	67 - 77
c. Plans for how to assess student performance in physical education			
High Schools	61	79	70 - 86
Middle Schools	84	84	77 - 89
Junior/Senior High Schools	63	74	65 - 82
All Schools	208	79	75 - 83
d. A written physical education curriculum			
High Schools	61	92	84 - 96
Middle Schools	84	92	86 - 95
Junior/Senior High Schools	62	80	71 - 87
All Schools	207	88	84 - 91

NA=Not available

N=Unweighted number of observations

**Arkansas
2008 School Health Profiles Report
Weighted Principal Survey Results**

17. Percentage of schools that offer opportunities for all students to participate in intramural activities or physical activity clubs.

	N	Percent	95% Confidence Interval
High Schools	59	47	37 - 56
Middle Schools	78	59	52 - 67
Junior/Senior High Schools	57	56	46 - 65
All Schools	194	54	49 - 60

**Arkansas
2008 School Health Profiles Report
Weighted Principal Survey Results**

18. Percentage of schools that have adopted a policy prohibiting tobacco use.

	N	Percent	95% Confidence Interval
High Schools	62	100	NA
Middle Schools	84	100	NA
Junior/Senior High Schools	62	100	NA
All Schools	208	100	NA

**Arkansas
2008 School Health Profiles Report
Weighted Principal Survey Results**

19 (Students). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for students during any school-related activity.

	N	Percent	95% Confidence Interval
a. Cigarettes			
High Schools	58	100	NA
Middle Schools	84	98	94 - 99
Junior/Senior High Schools	60	98	93 - 100
All Schools	202	99	97 - 99
b. Smokeless tobacco			
High Schools	58	100	NA
Middle Schools	84	98	94 - 99
Junior/Senior High Schools	60	98	93 - 100
All Schools	202	99	97 - 99
c. Cigars			
High Schools	58	98	92 - 100
Middle Schools	84	95	90 - 98
Junior/Senior High Schools	60	97	91 - 99
All Schools	202	97	94 - 98
d. Pipes			
High Schools	58	96	90 - 99
Middle Schools	84	94	89 - 97
Junior/Senior High Schools	60	97	91 - 99
All Schools	202	96	93 - 97

**Arkansas
2008 School Health Profiles Report
Weighted Principal Survey Results**

19 (Faculty/Staff). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for faculty/staff during any school-related activity.

	N	Percent	95% Confidence Interval
a. Cigarettes			
High Schools	57	98	92 - 100
Middle Schools	84	98	94 - 99
Junior/Senior High Schools	60	93	87 - 97
All Schools	201	96	94 - 98
b. Smokeless tobacco			
High Schools	57	98	92 - 100
Middle Schools	83	98	94 - 99
Junior/Senior High Schools	60	93	87 - 97
All Schools	200	96	94 - 98
c. Cigars			
High Schools	57	96	90 - 99
Middle Schools	83	97	92 - 99
Junior/Senior High Schools	60	93	87 - 97
All Schools	200	95	93 - 97
d. Pipes			
High Schools	57	94	87 - 98
Middle Schools	83	95	91 - 98
Junior/Senior High Schools	60	93	87 - 97
All Schools	200	94	91 - 96

**Arkansas
2008 School Health Profiles Report
Weighted Principal Survey Results**

19 (Visitors). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for visitors during any school-related activity.

	N	Percent	95% Confidence Interval
a. Cigarettes			
High Schools	57	95	88 - 98
Middle Schools	82	96	92 - 99
Junior/Senior High Schools	60	87	79 - 91
All Schools	199	93	90 - 95
b. Smokeless tobacco			
High Schools	56	96	89 - 99
Middle Schools	80	96	91 - 98
Junior/Senior High Schools	60	87	79 - 91
All Schools	196	93	90 - 95
c. Cigars			
High Schools	56	94	87 - 98
Middle Schools	80	96	92 - 99
Junior/Senior High Schools	60	87	79 - 91
All Schools	196	93	90 - 95
d. Pipes			
High Schools	56	94	87 - 98
Middle Schools	80	95	90 - 98
Junior/Senior High Schools	60	87	79 - 91
All Schools	196	92	89 - 95

**Arkansas
2008 School Health Profiles Report
Weighted Principal Survey Results**

20 (Students). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for students.

	N	Percent	95% Confidence Interval
a. During school hours			
High Schools	57	100	NA
Middle Schools	84	98	94 - 99
Junior/Senior High Schools	60	98	93 - 100
All Schools	201	99	97 - 99
b. During non-school hours			
High Schools	56	76	65 - 83
Middle Schools	80	83	75 - 88
Junior/Senior High Schools	60	80	71 - 87
All Schools	196	80	75 - 84

**Arkansas
2008 School Health Profiles Report
Weighted Principal Survey Results**

20 (Faculty/Staff). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for faculty/staff.

	N	Percent	95% Confidence Interval
a. During school hours			
High Schools	58	98	92 - 100
Middle Schools	84	98	94 - 99
Junior/Senior High Schools	59	95	88 - 98
All Schools	201	97	95 - 98
b. During non-school hours			
High Schools	57	69	59 - 77
Middle Schools	80	77	69 - 84
Junior/Senior High Schools	59	74	65 - 82
All Schools	196	74	69 - 79

**Arkansas
2008 School Health Profiles Report
Weighted Principal Survey Results**

20 (Visitors). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for visitors.

	N	Percent	95% Confidence Interval
a. During school hours			
High Schools	58	98	92 - 100
Middle Schools	83	97	92 - 99
Junior/Senior High Schools	58	93	86 - 97
All Schools	199	96	93 - 98
b. During non-school hours			
High Schools	57	69	59 - 77
Middle Schools	79	77	69 - 84
Junior/Senior High Schools	58	74	64 - 82
All Schools	194	74	69 - 78

**Arkansas
2008 School Health Profiles Report
Weighted Principal Survey Results**

21 (Students). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for students.

	N	Percent	95% Confidence Interval
a. In school buildings			
High Schools	58	100	NA
Middle Schools	84	98	94 - 99
Junior/Senior High Schools	60	100	NA
All Schools	202	99	97 - 100
b. Outside on school grounds, including parking lots and playing fields			
High Schools	58	100	NA
Middle Schools	84	97	92 - 99
Junior/Senior High Schools	59	100	NA
All Schools	201	99	97 - 99
c. On school buses or other vehicles used to transport students			
High Schools	58	100	NA
Middle Schools	84	98	94 - 99
Junior/Senior High Schools	59	100	NA
All Schools	201	99	97 - 100
d. At off-campus, school-sponsored events			
High Schools	58	100	NA
Middle Schools	83	93	89 - 96
Junior/Senior High Schools	58	98	93 - 100
All Schools	199	97	95 - 98

NA=Not available

N=Unweighted number of observations

**Arkansas
2008 School Health Profiles Report
Weighted Principal Survey Results**

21 (Faculty/Staff). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for faculty/staff.

	N	Percent	95% Confidence Interval
a. In school buildings			
High Schools	58	100	NA
Middle Schools	83	98	94 - 99
Junior/Senior High Schools	59	98	93 - 100
All Schools	200	99	97 - 99
b. Outside on school grounds, including parking lots and playing fields			
High Schools	58	96	90 - 99
Middle Schools	83	97	92 - 99
Junior/Senior High Schools	59	97	91 - 99
All Schools	200	96	94 - 98
c. On school buses or other vehicles used to transport students			
High Schools	58	98	92 - 100
Middle Schools	82	98	94 - 99
Junior/Senior High Schools	59	98	93 - 100
All Schools	199	98	96 - 99
d. At off-campus, school-sponsored events			
High Schools	57	91	82 - 95
Middle Schools	82	90	85 - 94
Junior/Senior High Schools	57	82	73 - 89
All Schools	196	88	84 - 91

NA=Not available

N=Unweighted number of observations

**Arkansas
2008 School Health Profiles Report
Weighted Principal Survey Results**

21 (Visitors). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for visitors.

	N	Percent	95% Confidence Interval
a. In school buildings			
High Schools	58	100	NA
Middle Schools	83	94	89 - 97
Junior/Senior High Schools	58	97	91 - 99
All Schools	199	97	94 - 98
b. Outside on school grounds, including parking lots and playing fields			
High Schools	58	96	90 - 99
Middle Schools	83	92	87 - 95
Junior/Senior High Schools	58	93	86 - 97
All Schools	199	93	91 - 96
c. On school buses or other vehicles used to transport students			
High Schools	58	98	92 - 100
Middle Schools	82	94	89 - 97
Junior/Senior High Schools	58	97	91 - 99
All Schools	198	96	93 - 98
d. At off-campus, school-sponsored events			
High Schools	57	81	71 - 88
Middle Schools	79	76	71 - 81
Junior/Senior High Schools	58	53	43 - 63
All Schools	194	71	66 - 75

NA=Not available

N=Unweighted number of observations

**Arkansas
2008 School Health Profiles Report
Weighted Principal Survey Results**

21N. Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits use of cigarettes, smokeless tobacco, cigars, and pipes by students, faculty/staff, and visitors; during school hours and during non-school hours; in school buildings, outside on school grounds, on school buses or other vehicles used to transport students, and at off-campus, school-sponsored events.*

	N	Percent	95% Confidence Interval
High Schools	55	55	44 - 65
Middle Schools	73	58	49 - 66
Junior/Senior High Schools	59	35	26 - 46
All Schools	187	50	44 - 55

*Responses to question 19 (a, b, c, and d), question 20 (a and b), and question 21 (a, b, c, and d) are all "yes."
 NA=Not available
 N=Unweighted number of observations

**Arkansas
2008 School Health Profiles Report
Weighted Principal Survey Results**

22. Percentage of schools that have procedures to inform each of the following groups about the tobacco-use prevention policy that prohibits their use of tobacco.*

	N	Percent	95% Confidence Interval
a. Students			
High Schools	58	100	NA
Middle Schools	84	99	95 - 100
Junior/Senior High Schools	60	100	NA
All Schools	202	100	98 - 100
b. Faculty and staff			
High Schools	58	98	92 - 100
Middle Schools	84	99	95 - 100
Junior/Senior High Schools	59	98	93 - 100
All Schools	201	98	96 - 99
c. Visitors			
High Schools	57	96	90 - 99
Middle Schools	82	94	89 - 97
Junior/Senior High Schools	58	91	84 - 96
All Schools	197	94	91 - 96

*Among those schools that have adopted a policy prohibiting tobacco use.

NA=Not available

N=Unweighted number of observations

**Arkansas
2008 School Health Profiles Report
Weighted Principal Survey Results**

23. Percentage of schools that have a tobacco-use prevention policy that includes guidelines on what actions the school should take when students are caught smoking cigarettes.*

	N	Percent	95% Confidence Interval
High Schools	58	100	NA
Middle Schools	84	96	92 - 99
Junior/Senior High Schools	59	100	NA
All Schools	201	99	97 - 99

*Among those schools that have adopted a policy prohibiting tobacco use.
NA=Not available
N=Unweighted number of observations

**Arkansas
2008 School Health Profiles Report
Weighted Principal Survey Results**

24. Percentage of schools in which the following person is responsible for enforcing the tobacco-use prevention policy.*

	N	Percent	95% Confidence Interval
a. No single individual is responsible			
High Schools	47	50	38 - 62
Middle Schools	78	46	38 - 54
Junior/Senior High Schools	56	36	27 - 45
All Schools	181	44	38 - 49
b. Principal			
High Schools	47	31	22 - 41
Middle Schools	78	40	32 - 48
Junior/Senior High Schools	56	61	51 - 69
All Schools	181	44	39 - 49
c. Assistant principal			
High Schools	47	16	9 - 26
Middle Schools	78	12	7 - 19
Junior/Senior High Schools	56	2	0 - 8
All Schools	181	10	7 - 14
d. Other school administrator			
High Schools	47	2	0 - 8
Middle Schools	78	1	0 - 5
Junior/Senior High Schools	56	0	NA
All Schools	181	1	0 - 3
e. Other school faculty or staff member			
High Schools	47	2	0 - 8
Middle Schools	78	1	0 - 5
Junior/Senior High Schools	56	2	0 - 8
All Schools	181	2	1 - 4

*Among those schools that have adopted a policy prohibiting tobacco use.

NA=Not available

N=Unweighted number of observations

**Arkansas
2008 School Health Profiles Report
Weighted Principal Survey Results**

25. Percentage of schools in which the following help determine what actions are taken when students are caught smoking cigarettes.

	N	Percent	95% Confidence Interval
a. Zero tolerance			
High Schools	64	83	75 - 89
Middle Schools	85	81	74 - 86
Junior/Senior High Schools	63	73	65 - 80
All Schools	212	79	75 - 83
b. Effect or severity of the violation			
High Schools	65	19	13 - 27
Middle Schools	85	17	12 - 25
Junior/Senior High Schools	63	16	10 - 25
All Schools	213	17	14 - 22
c. Grade level of student			
High Schools	65	3	1 - 8
Middle Schools	85	8	5 - 14
Junior/Senior High Schools	63	8	4 - 15
All Schools	213	7	4 - 10
d. Repeat offender status			
High Schools	65	32	25 - 40
Middle Schools	85	28	22 - 35
Junior/Senior High Schools	63	38	29 - 48
All Schools	213	32	28 - 37
e. None of these			
High Schools	64	2	0 - 7
Middle Schools	85	2	1 - 7
Junior/Senior High Schools	63	6	3 - 13
All Schools	212	3	2 - 6

NA=Not available

N=Unweighted number of observations

**Arkansas
2008 School Health Profiles Report
Weighted Principal Survey Results**

26 (Never). Percentage of schools that NEVER take the following actions when students are caught smoking cigarettes.

	N	Percent	95% Confidence Interval
a. Parents or guardians are notified			
High Schools	61	1	0 - 6
Middle Schools	85	0	NA
Junior/Senior High Schools	62	3	1 - 9
All Schools	208	1	1 - 3
b. Referred to a school counselor			
High Schools	59	13	9 - 20
Middle Schools	84	7	4 - 11
Junior/Senior High Schools	61	18	12 - 25
All Schools	204	12	9 - 15
c. Referred to a school administrator			
High Schools	61	0	NA
Middle Schools	84	0	NA
Junior/Senior High Schools	62	0	NA
All Schools	207	0	NA
d. Encouraged, but not required, to participate in an assistance, education, or cessation program			
High Schools	60	34	25 - 44
Middle Schools	82	27	21 - 34
Junior/Senior High Schools	61	33	24 - 43
All Schools	203	31	26 - 36
e. Required to participate in an assistance, education, or cessation program			
High Schools	60	62	53 - 70
Middle Schools	81	43	35 - 51
Junior/Senior High Schools	62	61	51 - 71
All Schools	203	54	49 - 60
f. Referred to legal authorities			
High Schools	62	32	24 - 42
Middle Schools	82	34	26 - 43
Junior/Senior High Schools	62	42	33 - 51
All Schools	206	36	31 - 41

NA=Not available

N=Unweighted number of observations

**Arkansas
2008 School Health Profiles Report
Weighted Principal Survey Results**

26 (Never). Percentage of schools that NEVER take the following actions when students are caught smoking cigarettes.

	N	Percent	95% Confidence Interval
g. Placed in detention			
High Schools	59	49	40 - 59
Middle Schools	83	33	26 - 40
Junior/Senior High Schools	63	38	30 - 47
All Schools	205	39	34 - 44
h. Not allowed to participate in extra-curricular activities or interscholastic sports			
High Schools	60	32	24 - 41
Middle Schools	80	17	12 - 22
Junior/Senior High Schools	61	24	17 - 34
All Schools	201	24	20 - 28
i. Given in-school suspension			
High Schools	61	13	8 - 20
Middle Schools	83	11	7 - 17
Junior/Senior High Schools	62	24	17 - 34
All Schools	206	16	12 - 20
j. Suspended from school			
High Schools	60	5	2 - 11
Middle Schools	84	1	0 - 6
Junior/Senior High Schools	62	5	2 - 11
All Schools	206	3	2 - 6
k. Expelled from school			
High Schools	60	58	50 - 65
Middle Schools	82	63	54 - 70
Junior/Senior High Schools	61	61	52 - 68
All Schools	203	61	56 - 65
l. Reassigned to an alternative school			
High Schools	60	57	48 - 66
Middle Schools	82	51	45 - 58
Junior/Senior High Schools	61	59	51 - 66
All Schools	203	55	51 - 60

NA=Not available

N=Unweighted number of observations

**Arkansas
2008 School Health Profiles Report
Weighted Principal Survey Results**

26 (Rarely). Percentage of schools that RARELY take the following actions when students are caught smoking cigarettes.

	N	Percent	95% Confidence Interval
a. Parents or guardians are notified			
High Schools	61	1	0 - 6
Middle Schools	85	0	NA
Junior/Senior High Schools	62	0	NA
All Schools	208	0	0 - 2
b. Referred to a school counselor			
High Schools	59	43	34 - 53
Middle Schools	84	18	12 - 26
Junior/Senior High Schools	61	24	18 - 32
All Schools	204	27	23 - 32
c. Referred to a school administrator			
High Schools	61	1	0 - 6
Middle Schools	84	1	0 - 5
Junior/Senior High Schools	62	0	NA
All Schools	207	1	0 - 2
d. Encouraged, but not required, to participate in an assistance, education, or cessation program			
High Schools	60	28	20 - 38
Middle Schools	82	31	24 - 39
Junior/Senior High Schools	61	30	22 - 39
All Schools	203	30	25 - 35
e. Required to participate in an assistance, education, or cessation program			
High Schools	60	21	13 - 30
Middle Schools	81	28	21 - 36
Junior/Senior High Schools	62	23	15 - 32
All Schools	203	24	20 - 29
f. Referred to legal authorities			
High Schools	62	34	27 - 41
Middle Schools	82	35	27 - 44
Junior/Senior High Schools	62	34	26 - 43
All Schools	206	35	30 - 39

NA=Not available

N=Unweighted number of observations

**Arkansas
2008 School Health Profiles Report
Weighted Principal Survey Results**

26 (Rarely). Percentage of schools that RARELY take the following actions when students are caught smoking cigarettes.

	N	Percent	95% Confidence Interval
g. Placed in detention			
High Schools	59	2	0 - 8
Middle Schools	83	7	4 - 13
Junior/Senior High Schools	63	6	3 - 13
All Schools	205	5	3 - 8
h. Not allowed to participate in extra-curricular activities or interscholastic sports			
High Schools	60	13	9 - 19
Middle Schools	80	29	23 - 35
Junior/Senior High Schools	61	10	5 - 18
All Schools	201	18	15 - 22
i. Given in-school suspension			
High Schools	61	5	2 - 12
Middle Schools	83	4	2 - 8
Junior/Senior High Schools	62	10	5 - 17
All Schools	206	6	4 - 9
j. Suspended from school			
High Schools	60	13	8 - 22
Middle Schools	84	25	18 - 32
Junior/Senior High Schools	62	13	7 - 21
All Schools	206	18	14 - 22
k. Expelled from school			
High Schools	60	34	25 - 44
Middle Schools	82	24	17 - 32
Junior/Senior High Schools	61	28	21 - 36
All Schools	203	28	24 - 33
l. Reassigned to an alternative school			
High Schools	60	25	18 - 34
Middle Schools	82	29	23 - 36
Junior/Senior High Schools	61	23	17 - 31
All Schools	203	26	22 - 30

NA=Not available

N=Unweighted number of observations

**Arkansas
2008 School Health Profiles Report
Weighted Principal Survey Results**

26 (Sometimes). Percentage of schools that SOMETIMES take the following actions when students are caught smoking cigarettes.

	N	Percent	95% Confidence Interval
a. Parents or guardians are notified			
High Schools	61	6	3 - 13
Middle Schools	85	0	NA
Junior/Senior High Schools	62	3	1 - 9
All Schools	208	3	2 - 5
b. Referred to a school counselor			
High Schools	59	35	26 - 45
Middle Schools	84	48	38 - 57
Junior/Senior High Schools	61	40	30 - 51
All Schools	204	42	36 - 47
c. Referred to a school administrator			
High Schools	61	0	NA
Middle Schools	84	1	0 - 6
Junior/Senior High Schools	62	0	NA
All Schools	207	1	0 - 2
d. Encouraged, but not required, to participate in an assistance, education, or cessation program			
High Schools	60	21	16 - 28
Middle Schools	82	27	20 - 35
Junior/Senior High Schools	61	18	12 - 26
All Schools	203	22	19 - 27
e. Required to participate in an assistance, education, or cessation program			
High Schools	60	8	4 - 16
Middle Schools	81	19	13 - 27
Junior/Senior High Schools	62	11	6 - 19
All Schools	203	13	10 - 18
f. Referred to legal authorities			
High Schools	62	21	15 - 28
Middle Schools	82	25	19 - 32
Junior/Senior High Schools	62	23	16 - 31
All Schools	206	23	19 - 27

NA=Not available

N=Unweighted number of observations

**Arkansas
2008 School Health Profiles Report
Weighted Principal Survey Results**

26 (Sometimes). Percentage of schools that SOMETIMES take the following actions when students are caught smoking cigarettes.

	N	Percent	95% Confidence Interval
g. Placed in detention			
High Schools	59	23	16 - 32
Middle Schools	83	36	29 - 44
Junior/Senior High Schools	63	30	23 - 38
All Schools	205	31	26 - 35
h. Not allowed to participate in extra-curricular activities or interscholastic sports			
High Schools	60	45	36 - 55
Middle Schools	80	44	36 - 52
Junior/Senior High Schools	61	51	42 - 60
All Schools	201	47	42 - 52
i. Given in-school suspension			
High Schools	61	37	28 - 47
Middle Schools	83	48	40 - 57
Junior/Senior High Schools	62	39	31 - 48
All Schools	206	42	37 - 47
j. Suspended from school			
High Schools	60	60	50 - 69
Middle Schools	84	48	40 - 56
Junior/Senior High Schools	62	53	43 - 63
All Schools	206	53	48 - 58
k. Expelled from school			
High Schools	60	7	3 - 13
Middle Schools	82	12	8 - 18
Junior/Senior High Schools	61	11	6 - 19
All Schools	203	10	7 - 14
l. Reassigned to an alternative school			
High Schools	60	17	11 - 25
Middle Schools	82	18	13 - 26
Junior/Senior High Schools	61	17	12 - 23
All Schools	203	18	14 - 22

NA=Not available

N=Unweighted number of observations

**Arkansas
2008 School Health Profiles Report
Weighted Principal Survey Results**

26 (Always). Percentage of schools that ALWAYS or ALMOST ALWAYS take the following actions when students are caught smoking cigarettes.

	N	Percent	95% Confidence Interval
a. Parents or guardians are notified			
High Schools	61	91	84 - 95
Middle Schools	85	100	NA
Junior/Senior High Schools	62	94	87 - 97
All Schools	208	95	93 - 97
b. Referred to a school counselor			
High Schools	59	9	5 - 16
Middle Schools	84	28	20 - 36
Junior/Senior High Schools	61	18	11 - 27
All Schools	204	19	15 - 24
c. Referred to a school administrator			
High Schools	61	99	94 - 100
Middle Schools	84	98	93 - 99
Junior/Senior High Schools	62	100	NA
All Schools	207	99	97 - 99
d. Encouraged, but not required, to participate in an assistance, education, or cessation program			
High Schools	60	17	11 - 27
Middle Schools	82	15	10 - 22
Junior/Senior High Schools	61	20	13 - 28
All Schools	203	17	14 - 21
e. Required to participate in an assistance, education, or cessation program			
High Schools	60	9	4 - 16
Middle Schools	81	10	6 - 15
Junior/Senior High Schools	62	5	2 - 11
All Schools	203	8	6 - 11
f. Referred to legal authorities			
High Schools	62	12	8 - 19
Middle Schools	82	6	3 - 11
Junior/Senior High Schools	62	1	0 - 6
All Schools	206	6	4 - 9

NA=Not available

N=Unweighted number of observations

**Arkansas
2008 School Health Profiles Report
Weighted Principal Survey Results**

26 (Always). Percentage of schools that ALWAYS or ALMOST ALWAYS take the following actions when students are caught smoking cigarettes.

	N	Percent	95% Confidence Interval
g. Placed in detention			
High Schools	59	25	18 - 34
Middle Schools	83	24	18 - 33
Junior/Senior High Schools	63	25	18 - 35
All Schools	205	25	21 - 30
h. Not allowed to participate in extra-curricular activities or interscholastic sports			
High Schools	60	10	6 - 15
Middle Schools	80	10	7 - 16
Junior/Senior High Schools	61	15	9 - 23
All Schools	201	12	9 - 15
i. Given in-school suspension			
High Schools	61	45	35 - 55
Middle Schools	83	37	30 - 45
Junior/Senior High Schools	62	27	19 - 38
All Schools	206	36	31 - 42
j. Suspended from school			
High Schools	60	22	15 - 31
Middle Schools	84	26	19 - 35
Junior/Senior High Schools	62	29	21 - 39
All Schools	206	26	21 - 31
k. Expelled from school			
High Schools	60	2	0 - 8
Middle Schools	82	1	0 - 5
Junior/Senior High Schools	61	0	NA
All Schools	203	1	0 - 3
l. Reassigned to an alternative school			
High Schools	60	0	NA
Middle Schools	82	1	0 - 5
Junior/Senior High Schools	61	2	0 - 7
All Schools	203	1	0 - 3

NA=Not available

N=Unweighted number of observations

**Arkansas
2008 School Health Profiles Report
Weighted Principal Survey Results**

27. Percentage of schools that post signs marking a tobacco-free school zone, that is, a specified distance from school grounds where tobacco use is not allowed.

	N	Percent	95% Confidence Interval
High Schools	62	85	77 - 91
Middle Schools	84	86	80 - 90
Junior/Senior High Schools	61	87	80 - 92
All Schools	207	86	82 - 89

**Arkansas
2008 School Health Profiles Report
Weighted Principal Survey Results**

28. Percentage of schools that did the following activities during the past two years.

	N	Percent	95% Confidence Interval
a. Gathered and shared information with students and families about mass-media messages or community-based tobacco-use prevention efforts			
High Schools	63	54	42 - 64
Middle Schools	83	52	44 - 59
Junior/Senior High Schools	63	51	43 - 58
All Schools	209	52	47 - 57
b. Worked with local agencies or organizations to plan and implement events or programs intended to reduce tobacco use			
High Schools	62	58	47 - 67
Middle Schools	83	51	43 - 58
Junior/Senior High Schools	63	65	56 - 73
All Schools	208	57	52 - 62

**Arkansas
2008 School Health Profiles Report
Weighted Principal Survey Results**

29. Percentage of schools that provide tobacco cessation services for each of the following groups.

	N	Percent	95% Confidence Interval
a. Faculty and staff			
High Schools	63	8	4 - 15
Middle Schools	84	12	8 - 18
Junior/Senior High Schools	63	14	9 - 23
All Schools	210	11	9 - 15
b. Students			
High Schools	63	20	13 - 29
Middle Schools	84	23	17 - 30
Junior/Senior High Schools	63	24	17 - 32
All Schools	210	22	18 - 27

**Arkansas
2008 School Health Profiles Report
Weighted Principal Survey Results**

30. Percentage of schools that have arrangements with any organization or health care professionals not on school property to provide tobacco cessation services for each of the following groups.

	N	Percent	95% Confidence Interval
a. Faculty and staff			
High Schools	63	9	5 - 16
Middle Schools	84	15	10 - 20
Junior/Senior High Schools	62	15	9 - 23
All Schools	209	13	10 - 17
b. Students			
High Schools	63	19	13 - 27
Middle Schools	84	18	13 - 25
Junior/Senior High Schools	62	27	20 - 36
All Schools	209	21	17 - 25

**Arkansas
2008 School Health Profiles Report
Weighted Principal Survey Results**

31. Percentage of schools that never, rarely, sometimes, or always or almost always offer fruit or non-fried vegetables at school celebrations when foods or beverages are offered.

	N	Percent	95% Confidence Interval
a. Foods or beverages are not offered at school celebrations			
High Schools	62	9	5 - 15
Middle Schools	83	5	2 - 10
Junior/Senior High Schools	63	2	0 - 7
All Schools	208	5	3 - 8
b. Never			
High Schools	62	2	0 - 7
Middle Schools	83	2	1 - 6
Junior/Senior High Schools	63	5	2 - 11
All Schools	208	3	2 - 5
c. Rarely			
High Schools	62	10	5 - 17
Middle Schools	83	17	12 - 24
Junior/Senior High Schools	63	13	8 - 20
All Schools	208	13	10 - 17
d. Sometimes			
High Schools	62	57	47 - 67
Middle Schools	83	55	48 - 63
Junior/Senior High Schools	63	58	49 - 67
All Schools	208	57	52 - 62
e. Always or almost always			
High Schools	62	22	15 - 31
Middle Schools	83	21	15 - 28
Junior/Senior High Schools	63	23	15 - 32
All Schools	208	22	18 - 26

NA=Not available

N=Unweighted number of observations

**Arkansas
2008 School Health Profiles Report
Weighted Principal Survey Results**

32. Percentage of schools in which students can purchase snack foods or beverages from one or more vending machines at the school or at a school store, canteen, or snack bar.

	N	Percent	95% Confidence Interval
High Schools	62	71	61 - 79
Middle Schools	83	59	51 - 67
Junior/Senior High Schools	63	59	50 - 67
All Schools	208	63	58 - 67

**Arkansas
2008 School Health Profiles Report
Weighted Principal Survey Results**

33. Percentage of all schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

	N	Percent	95% Confidence Interval
a. Chocolate candy			
High Schools	62	26	18 - 36
Middle Schools	83	21	15 - 29
Junior/Senior High Schools	62	16	10 - 25
All Schools	207	21	17 - 26
b. Other kinds of candy			
High Schools	62	28	19 - 38
Middle Schools	83	28	21 - 35
Junior/Senior High Schools	62	16	10 - 25
All Schools	207	24	20 - 29
c. Salty snacks that are not low in fat, such as regular potato chips			
High Schools	62	29	21 - 40
Middle Schools	82	24	18 - 32
Junior/Senior High Schools	62	21	14 - 30
All Schools	206	25	20 - 30
d. Cookies, crackers, cakes, pastries, or other baked goods that are not low in fat			
High Schools	62	26	18 - 36
Middle Schools	83	26	19 - 34
Junior/Senior High Schools	62	21	14 - 30
All Schools	207	24	20 - 29
e. Ice cream or frozen yogurt that is not low in fat			
High Schools	62	12	7 - 19
Middle Schools	83	10	6 - 16
Junior/Senior High Schools	62	6	3 - 13
All Schools	207	9	7 - 13
f. 2% or whole milk (plain or flavored)			
High Schools	62	25	17 - 34
Middle Schools	83	28	21 - 36
Junior/Senior High Schools	62	27	20 - 35
All Schools	207	27	22 - 32

NA=Not available

N=Unweighted number of observations

**Arkansas
2008 School Health Profiles Report
Weighted Principal Survey Results**

33. Percentage of all schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

	N	Percent	95% Confidence Interval
g. Water ices or frozen slushes that do not contain juice			
High Schools	62	10	5 - 18
Middle Schools	83	11	7 - 18
Junior/Senior High Schools	62	7	4 - 11
All Schools	207	9	7 - 13
h. Soda pop or fruit drinks that are not 100% juice			
High Schools	61	49	39 - 60
Middle Schools	83	46	39 - 54
Junior/Senior High Schools	62	48	40 - 57
All Schools	206	48	43 - 53
i. Sports drinks, such as Gatorade			
High Schools	62	56	46 - 66
Middle Schools	82	49	41 - 57
Junior/Senior High Schools	63	49	40 - 58
All Schools	207	51	46 - 57
j. Foods or beverages containing caffeine			
High Schools	62	43	34 - 52
Middle Schools	83	43	36 - 49
Junior/Senior High Schools	62	48	40 - 57
All Schools	207	44	40 - 49
k. Fruits (not fruit juice)			
High Schools	62	14	9 - 21
Middle Schools	83	18	12 - 26
Junior/Senior High Schools	62	14	9 - 21
All Schools	207	16	12 - 20
l. Non-fried vegetables (not vegetable juice)			
High Schools	62	7	4 - 12
Middle Schools	83	14	9 - 20
Junior/Senior High Schools	62	9	6 - 15
All Schools	207	10	8 - 13

NA=Not available

N=Unweighted number of observations

**Arkansas
2008 School Health Profiles Report
Weighted Principal Survey Results**

34. Percentage of all schools that limit the package or serving size of any individual food and beverage items sold in vending machines or at the school store, canteen, or snack bar.

	N	Percent	95% Confidence Interval
High Schools	61	43	33 - 54
Middle Schools	81	37	30 - 45
Junior/Senior High Schools	62	28	19 - 38
All Schools	204	36	31 - 41

**Arkansas
2008 School Health Profiles Report
Weighted Principal Survey Results**

35. Percentage of schools that have done any of the following activities during this school year.

	N	Percent	95% Confidence Interval
a. Priced nutritious foods and beverages at a lower cost while increasing the price of less nutritious foods and beverages			
High Schools	63	5	2 - 11
Middle Schools	83	6	3 - 12
Junior/Senior High Schools	63	3	1 - 9
All Schools	209	5	3 - 8
b. Collected suggestions from students, families, and school staff on nutritious food preferences and strategies to promote healthy eating			
High Schools	63	33	26 - 41
Middle Schools	83	43	34 - 52
Junior/Senior High Schools	63	33	26 - 42
All Schools	209	37	32 - 42
c. Provided information to students or families on the nutrition and caloric content of foods available			
High Schools	63	46	38 - 55
Middle Schools	83	47	40 - 55
Junior/Senior High Schools	63	42	33 - 51
All Schools	209	45	40 - 50
d. Conducted taste tests to determine food preferences for nutritious items			
High Schools	63	12	7 - 19
Middle Schools	83	10	6 - 15
Junior/Senior High Schools	63	11	7 - 17
All Schools	209	11	8 - 14
e. Provided opportunities for students to visit the cafeteria to learn about food safety, food preparation, or other nutrition-related topics			
High Schools	63	12	7 - 19
Middle Schools	83	14	9 - 21
Junior/Senior High Schools	63	19	12 - 28
All Schools	209	15	12 - 19

NA=Not available

N=Unweighted number of observations

**Arkansas
2008 School Health Profiles Report
Weighted Principal Survey Results**

36. Percentage of schools that promote candy, meals from fast food restaurants, or soft drinks to students through the distribution of products, such as t-shirts, hats, and book covers.

	N	Percent	95% Confidence Interval
High Schools	63	3	1 - 9
Middle Schools	85	0	NA
Junior/Senior High Schools	61	5	2 - 11
All Schools	209	2	1 - 5

**Arkansas
2008 School Health Profiles Report
Weighted Principal Survey Results**

37. Percentage of schools that prohibit advertisements for candy, fast food restaurants, or soft drinks in the following locations.

	N	Percent	95% Confidence Interval
a. In the school building			
High Schools	63	62	53 - 71
Middle Schools	84	77	70 - 83
Junior/Senior High Schools	62	62	51 - 71
All Schools	209	68	63 - 73
b. On school grounds including on the outside of the school building, on playing fields, or other areas of the campus			
High Schools	63	44	36 - 52
Middle Schools	84	66	59 - 72
Junior/Senior High Schools	61	46	37 - 55
All Schools	208	53	49 - 58
c. On school buses or other vehicles used to transport students			
High Schools	63	67	60 - 73
Middle Schools	83	81	74 - 86
Junior/Senior High Schools	60	65	55 - 74
All Schools	206	72	67 - 76
d. In school publications (e.g., newsletters, newspapers, web sites, or other school publications)			
High Schools	63	48	39 - 57
Middle Schools	84	71	63 - 78
Junior/Senior High Schools	62	58	48 - 68
All Schools	209	60	55 - 65

NA=Not available

N=Unweighted number of observations

**Arkansas
2008 School Health Profiles Report
Weighted Principal Survey Results**

38. Percentage of schools that have a full-time registered nurse who provides health services to students.

	N	Percent	95% Confidence Interval
High Schools	63	64	55 - 71
Middle Schools	85	58	50 - 65
Junior/Senior High Schools	63	57	48 - 65
All Schools	211	59	55 - 64

**Arkansas
2008 School Health Profiles Report
Weighted Principal Survey Results**

39. Percentage of schools in which each of the following sources of school health information are used to identify students diagnosed with chronic health conditions such as asthma.

	N	Percent	95% Confidence Interval
a. This school does not identify students diagnosed with chronic health conditions such as asthma			
High Schools	63	1	0 - 6
Middle Schools	83	1	0 - 5
Junior/Senior High Schools	58	2	0 - 7
All Schools	204	1	1 - 3
b. Student emergency cards			
High Schools	63	62	51 - 71
Middle Schools	83	64	55 - 72
Junior/Senior High Schools	62	61	52 - 69
All Schools	208	62	57 - 67
c. Medication records			
High Schools	63	77	68 - 84
Middle Schools	83	94	88 - 97
Junior/Senior High Schools	58	77	68 - 85
All Schools	204	84	80 - 87
d. Health room visit information			
High Schools	65	43	36 - 50
Middle Schools	83	44	36 - 53
Junior/Senior High Schools	62	36	26 - 46
All Schools	210	41	36 - 46
e. Emergency care plans			
High Schools	65	52	42 - 62
Middle Schools	83	63	55 - 70
Junior/Senior High Schools	62	40	31 - 50
All Schools	210	53	47 - 58
f. Physical exam records			
High Schools	64	52	44 - 60
Middle Schools	83	50	41 - 59
Junior/Senior High Schools	61	41	32 - 50
All Schools	208	48	43 - 53

NA=Not available

N=Unweighted number of observations

**Arkansas
2008 School Health Profiles Report
Weighted Principal Survey Results**

39. Percentage of schools in which each of the following sources of school health information are used to identify students diagnosed with chronic health conditions such as asthma.

	N	Percent	95% Confidence Interval
g. Notes from parents			
High Schools	64	81	72 - 87
Middle Schools	83	82	75 - 87
Junior/Senior High Schools	59	71	63 - 78
All Schools	206	78	74 - 82
h. Other			
High Schools	65	18	13 - 24
Middle Schools	85	18	12 - 26
Junior/Senior High Schools	63	19	12 - 29
All Schools	213	18	15 - 23

**Arkansas
2008 School Health Profiles Report
Weighted Principal Survey Results**

40. Percentage of schools that have an asthma action plan on file for all, most, some, or no students with known asthma.

	N	Percent	95% Confidence Interval
a. School has no students with known asthma			
High Schools	63	0	NA
Middle Schools	83	1	0 - 5
Junior/Senior High Schools	63	6	3 - 13
All Schools	209	2	1 - 5
b. All students with known asthma have an asthma action plan on file			
High Schools	63	51	42 - 60
Middle Schools	83	60	52 - 68
Junior/Senior High Schools	63	54	44 - 64
All Schools	209	55	50 - 61
c. Most students with known asthma have an asthma action plan on file			
High Schools	63	31	23 - 40
Middle Schools	83	21	15 - 28
Junior/Senior High Schools	63	16	10 - 24
All Schools	209	22	18 - 27
d. Some students with known asthma have an asthma action plan on file			
High Schools	63	11	7 - 17
Middle Schools	83	15	9 - 22
Junior/Senior High Schools	63	14	9 - 23
All Schools	209	13	10 - 17
e. No students with known asthma have an asthma action plan on file			
High Schools	63	8	4 - 15
Middle Schools	83	3	1 - 8
Junior/Senior High Schools	63	9	5 - 17
All Schools	209	7	4 - 10

NA=Not available

N=Unweighted number of observations

**Arkansas
2008 School Health Profiles Report
Weighted Principal Survey Results**

41. Percentage of schools that use each of the following types of information to identify students with poorly controlled asthma.

	N	Percent	95% Confidence Interval
a. School does not identify students with poorly controlled asthma			
High Schools	64	10	6 - 18
Middle Schools	85	7	4 - 12
Junior/Senior High Schools	62	23	16 - 31
All Schools	211	13	10 - 16
b. Frequent absences from school			
High Schools	64	33	24 - 43
Middle Schools	85	37	31 - 43
Junior/Senior High Schools	63	24	17 - 32
All Schools	212	32	27 - 36
c. Frequent visits to the school health office due to asthma			
High Schools	64	77	69 - 84
Middle Schools	85	84	79 - 88
Junior/Senior High Schools	63	55	45 - 65
All Schools	212	73	69 - 77
d. Frequent asthma symptoms at school			
High Schools	64	67	57 - 76
Middle Schools	85	69	61 - 76
Junior/Senior High Schools	63	52	43 - 61
All Schools	212	63	58 - 68
e. Frequent non-participation in physical education class due to asthma			
High Schools	65	38	29 - 48
Middle Schools	85	43	37 - 50
Junior/Senior High Schools	63	27	20 - 35
All Schools	213	37	32 - 41
f. Students sent home early due to asthma			
High Schools	65	40	32 - 49
Middle Schools	85	44	36 - 52
Junior/Senior High Schools	62	23	16 - 32
All Schools	212	36	32 - 41

NA=Not available

N=Unweighted number of observations

**Arkansas
2008 School Health Profiles Report
Weighted Principal Survey Results**

41. Percentage of schools that use each of the following types of information to identify students with poorly controlled asthma.

	N	Percent	95% Confidence Interval
g. Calls from school to 911, or other local emergency numbers, due to asthma			
High Schools	65	22	15 - 31
Middle Schools	85	16	11 - 22
Junior/Senior High Schools	63	6	3 - 13
All Schools	213	15	12 - 19

**Arkansas
2008 School Health Profiles Report
Weighted Principal Survey Results**

42. Percentage of schools that provide each of the following services for students with poorly controlled asthma.

	N	Percent	95% Confidence Interval
a. Providing referrals to primary healthcare clinicians or child health insurance programs			
High Schools	58	67	55 - 77
Middle Schools	81	53	44 - 62
Junior/Senior High Schools	61	38	29 - 48
All Schools	200	52	47 - 58
b. Ensuring an appropriate written asthma action plan is obtained			
High Schools	62	74	65 - 82
Middle Schools	81	86	80 - 91
Junior/Senior High Schools	61	67	57 - 76
All Schools	204	77	72 - 81
c. Ensuring access to and appropriate use of asthma medications, spacers, and peak flow meters at school			
High Schools	62	86	78 - 91
Middle Schools	84	93	91 - 95
Junior/Senior High Schools	60	73	65 - 81
All Schools	206	85	82 - 88
d. Offering asthma education for the student with asthma and his/her family			
High Schools	60	51	40 - 62
Middle Schools	82	61	53 - 68
Junior/Senior High Schools	60	41	33 - 50
All Schools	202	52	47 - 57
e. Minimizing asthma triggers in the school environment			
High Schools	63	73	64 - 80
Middle Schools	81	77	70 - 83
Junior/Senior High Schools	60	65	55 - 74
All Schools	204	72	67 - 77
f. Addressing social and emotional issues related to asthma			
High Schools	61	53	44 - 62
Middle Schools	81	58	50 - 65
Junior/Senior High Schools	60	33	26 - 42
All Schools	202	49	44 - 54

NA=Not available

N=Unweighted number of observations

**Arkansas
2008 School Health Profiles Report
Weighted Principal Survey Results**

42. Percentage of schools that provide each of the following services for students with poorly controlled asthma.

	N	Percent	95% Confidence Interval
g. Providing additional psychosocial counseling or support services as needed			
High Schools	60	43	34 - 52
Middle Schools	81	59	50 - 66
Junior/Senior High Schools	59	37	29 - 47
All Schools	200	47	42 - 53
h. Ensuring access to safe, enjoyable physical education and activity opportunities			
High Schools	63	88	80 - 93
Middle Schools	82	93	87 - 96
Junior/Senior High Schools	60	75	65 - 83
All Schools	205	86	82 - 89
i. Ensuring access to preventive medications before physical activity			
High Schools	63	85	76 - 91
Middle Schools	83	94	89 - 97
Junior/Senior High Schools	60	72	61 - 81
All Schools	206	85	80 - 88

NA=Not available

N=Unweighted number of observations

**Arkansas
2008 School Health Profiles Report
Weighted Principal Survey Results**

43. Percentage of schools that have a designated and secure storage location for medications, including quick-relief asthma medications.

	N	Percent	95% Confidence Interval
High Schools	62	97	92 - 99
Middle Schools	85	100	NA
Junior/Senior High Schools	63	94	87 - 97
All Schools	210	97	95 - 98

**Arkansas
2008 School Health Profiles Report
Weighted Principal Survey Results**

44. Percentage of schools with a designated and secure storage location for medications that is accessible at all times by the school nurse or her designee.

	N	Percent	95% Confidence Interval
High Schools	58	100	NA
Middle Schools	84	100	NA
Junior/Senior High Schools	57	100	NA
All Schools	199	100	NA

**Arkansas
2008 School Health Profiles Report
Weighted Principal Survey Results**

45. Percentage of schools in which school staff members are required to receive training on recognizing and responding to severe asthma symptoms more than once per year, once per year, or less than once per year.

	N	Percent	95% Confidence Interval
a. More than once per year			
High Schools	63	5	2 - 11
Middle Schools	85	6	3 - 11
Junior/Senior High Schools	62	0	NA
All Schools	210	4	2 - 6
b. Once per year			
High Schools	63	34	26 - 43
Middle Schools	85	46	37 - 54
Junior/Senior High Schools	62	34	26 - 43
All Schools	210	39	34 - 44
c. Less than once per year			
High Schools	63	12	7 - 21
Middle Schools	85	8	5 - 14
Junior/Senior High Schools	62	16	12 - 22
All Schools	210	12	9 - 15
d. No such requirement			
High Schools	63	49	39 - 59
Middle Schools	85	41	33 - 49
Junior/Senior High Schools	62	50	40 - 59
All Schools	210	46	41 - 51

**Arkansas
2008 School Health Profiles Report
Weighted Principal Survey Results**

46. Percentage of schools that have adopted a policy stating that students are permitted to carry and self-administer asthma medications.

	N	Percent	95% Confidence Interval
High Schools	63	78	68 - 86
Middle Schools	85	85	78 - 90
Junior/Senior High Schools	63	81	73 - 87
All Schools	211	82	77 - 85

**Arkansas
2008 School Health Profiles Report
Weighted Principal Survey Results**

47. Percentage of schools that have procedures to inform each of the following groups about the policy permitting students to carry and self-administer asthma medications.*

	N	Percent	95% Confidence Interval
a. Students			
High Schools	48	90	82 - 94
Middle Schools	71	96	91 - 98
Junior/Senior High Schools	48	98	91 - 100
All Schools	167	95	92 - 97
b. Parents/families			
High Schools	48	88	79 - 93
Middle Schools	70	95	91 - 97
Junior/Senior High Schools	48	98	91 - 100
All Schools	166	94	90 - 96

*Among schools that have adopted a policy stating that students are permitted to carry and self-administer asthma medications.
 NA=Not available
 N=Unweighted number of observations

**Arkansas
2008 School Health Profiles Report
Weighted Principal Survey Results**

48. Percentage of schools that have the following person responsible for implementing the policy permitting students to carry and self-administer asthma medication.*

	N	Percent	95% Confidence Interval
a. No single individual is responsible			
High Schools	41	22	14 - 33
Middle Schools	65	16	10 - 25
Junior/Senior High Schools	42	31	22 - 42
All Schools	148	22	17 - 28
b. Principal			
High Schools	41	17	10 - 29
Middle Schools	65	11	6 - 19
Junior/Senior High Schools	42	17	10 - 26
All Schools	148	15	11 - 20
c. Assistant principal			
High Schools	41	0	NA
Middle Schools	65	0	NA
Junior/Senior High Schools	42	0	NA
All Schools	148	0	NA
d. School nurse			
High Schools	41	61	49 - 71
Middle Schools	65	72	63 - 80
Junior/Senior High Schools	42	50	39 - 61
All Schools	148	63	56 - 68
e. Other school faculty or staff member			
High Schools	41	0	NA
Middle Schools	65	0	NA
Junior/Senior High Schools	42	2	1 - 10
All Schools	148	1	0 - 3

*Among schools that have adopted a policy stating that students are permitted to carry and self-administer asthma medications.

NA=Not available

N=Unweighted number of observations

**Arkansas
2008 School Health Profiles Report
Weighted Principal Survey Results**

49. Percentage of schools in which students' families helped develop or implement policies and programs related to the following topics during the past two years.

	N	Percent	95% Confidence Interval
a. HIV, STD, or teen pregnancy prevention			
High Schools	62	29	21 - 39
Middle Schools	83	18	13 - 25
Junior/Senior High Schools	62	28	22 - 34
All Schools	207	24	20 - 29
b. Tobacco-use prevention			
High Schools	62	42	32 - 52
Middle Schools	84	37	30 - 44
Junior/Senior High Schools	62	47	40 - 54
All Schools	208	41	37 - 46
c. Physical activity			
High Schools	63	53	44 - 62
Middle Schools	83	56	48 - 63
Junior/Senior High Schools	62	50	41 - 60
All Schools	208	53	48 - 58
d. Nutrition and healthy eating			
High Schools	64	57	47 - 67
Middle Schools	83	59	51 - 67
Junior/Senior High Schools	63	65	57 - 73
All Schools	210	61	55 - 65
e. Asthma			
High Schools	61	25	17 - 34
Middle Schools	83	23	17 - 30
Junior/Senior High Schools	62	26	19 - 34
All Schools	206	24	20 - 29

NA=Not available

N=Unweighted number of observations

**Arkansas
2008 School Health Profiles Report
Weighted Principal Survey Results**

50. Percentage of schools in which community members helped develop or implement policies and programs related to the following topics during the past two years.

	N	Percent	95% Confidence Interval
a. HIV, STD, or teen pregnancy prevention			
High Schools	62	29	21 - 39
Middle Schools	82	27	21 - 35
Junior/Senior High Schools	60	32	26 - 39
All Schools	204	29	25 - 34
b. Tobacco-use prevention			
High Schools	62	38	30 - 48
Middle Schools	83	47	40 - 55
Junior/Senior High Schools	60	50	42 - 58
All Schools	205	45	41 - 50
c. Physical activity			
High Schools	64	49	40 - 59
Middle Schools	83	54	46 - 61
Junior/Senior High Schools	60	47	37 - 57
All Schools	207	50	45 - 55
d. Nutrition and healthy eating			
High Schools	63	56	48 - 65
Middle Schools	83	62	54 - 70
Junior/Senior High Schools	63	60	52 - 69
All Schools	209	60	55 - 65
e. Asthma			
High Schools	61	18	12 - 26
Middle Schools	82	27	21 - 35
Junior/Senior High Schools	61	26	19 - 35
All Schools	204	24	20 - 29

NA=Not available

N=Unweighted number of observations